## **Preterm Live Births**

#### **Preterm Live Births**

INDICATOR:	Percent of Preterm Live Births
DEFINITION:	The percent of live births occurring at less than 37 weeks of gestation.
NUMERATOR:	The number of live births occurring at less than 37 weeks of gestation, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year
HEALTHY PEOPLE 2020 OBJECTIVE	:

Reduce preterm births to an incidence of no more than 9.4 percent of live births. (Objective MICH 9.1: baseline 10.0% in 2018)

### HEALTHY PEOPLE 2030 OBJECTIVE:

		Cali	fornia			Los Ange	les County	
Year	Preterm	Live Birth	95% Confidence Interval		Preterm Live Birth		95% Confidence Interval	
rear	Number	Percent	Lower	Upper	Number	Percent	Lower	Upper
2010	43,527	8.6	8.5	8.6	13,493	10.1	10.0	10.3
2011	42,616	8.5	8.4	8.6	13,059	10.0	9.9	10.2
2012	42,427	8.4	8.4	8.5	12,758	9.7	9.5	9.8
2013	41,540	8.4	8.3	8.5	11,688	9.1	8.9	9.3
2014	41,594	8.3	8.2	8.3	11,442	8.8	8.6	8.9
2015	41,600	8.5	8.4	8.5	10,941	8.8	8.6	8.9
2016	42,074	8.6	8.5	8.7	10,979	8.9	8.8	9.1
2017	40,907	8.7	8.6	8.8	10,534	9.0	8.9	9.2
2018	39,964	8.8	8.7	8.9	9,902	9.0	8.8	9.2
2019	46,291	10.4	10.3	10.5	9,810	9.2	9.0	9.3

Deno	minator: Live I	Births
Year	California	LA County
2010	508,748	133,160
2011	500,909	130,313
2012	502,722	131,697
2013	493,587	128,526
2014	502,973	130,150
2015	491,748	124,507
2016	488,827	122,941
2017	471,658	116,850
2018	454,920	109,893
2019	446,479	107,202

This objective has been removed from Healthy People 2030 (MICH 9.1).

Note: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

For birth weight data shown in WONDER before May 8, 2015, 21 births that occurred in year 2011 were erroneously reported in the birth weight category 5000-8165 grams, instead of the "Not stated" birth weight category. These 21 births are now reported in "Not stated" birth weight category.

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.


#### Sources:

California Integrated Vital Records System, 2018-2019 (for LAC birth data)

California Department of Public Health, Birth Statistical Master Files, 2011-2017 (for LAC birth data)

Centers for Disease Control and Prevention, National Center for Health Statistics. National Vital Statistics System, Natality on CDC WONDER Online Database. Data are from the Natality Records 2007-2020. Updated in 2020. Accessed at http://wonder.cdc.gov/natality-expanded-

California Department of Public Health, CHHS Open Data Portal, 1960-2020 Final Births by Year Statewide, Updated 10/18/21. Accessed at: URL: https://data.chhs.ca.gov/dataset/test-cdph-statewide-live-birth-profiles/resource (for CA total live births and PT live births, 2014-2018)



For birth weight data shown in WONDER before May 8, 2015, 21 births that occurred in year 2011 were erroneously reported in the birth weight category 5000-8165 grams, instead of the "Not stated" birth weight category. These 21 births are now reported in "Not stated" birth weight category.


Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.

#### Sources:


California Integrated Vital Records System, 2018-2019 (for LAC birth data)

California Department of Public Health, Birth Statistical Master Files, 2011-2017 (for LAC birth data)


Centers for Disease Control and Prevention, National Center for Health Statistics. National Vital Statistics System, Natality on CDC WONDER Online Database. Data are from the Natality Records 2007-2020. Updated in 2020. Accessed at http://wonder.cdc.gov/natality-expanded-current.html (for CA total births and PT live California Department of Public Health, CHHS Open Data Portal, 1960-2020 Final Births by Year Statewide, Updated 10/18/21. Accessed at: URL: https://data.chhs.ca.gov/dataset/test-cdph-statewide-live-birth-profiles/resource (for CA total live births and PT live births, 2014-2018)




Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.



Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.





Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Source: California Integrated Vital Records System, 2019

<18


18 to 19

20 to 34

35+


Other/ Unknown

Total




Notes: "Preterm Live Births" is defined as live births occurring between 17 and 36 weeks gestation inclusive.

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015. This analysis did not adjust for teen mothers who may not have been old enough to have reached a higher categorical education level. Source: California Integrated Vital Records System, 2019



Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.


Parity is defined as the number of pregnancies resulting in live births to a woman.



	Los Angeles	s County, 20 <sup>4</sup>	19			Distribution of Preterm Live Births		
Mother's Trimester Prenatal Care Began	Preterm Live Births 95% Confidence Interval		95% Confidence Interval		Total Live Births	by Mother's Trimester Prenatal Care Began Los Angeles County, 2019		
Prenatal Care Began	Number	Percent	Lower	Upper				
No Prenatal Care	208	30.4	27.0	33.9	684	Third No PNC 1.8% 2.5% 2.1%		
First	8,258	9.0	8.8	9.1	92,238	Second		
Second	925	9.2	8.7	9.8	10,028	9.4% First		
Third	176	6.6	5.6	7.5	2,674	84.2%		
Unknown	243	15.4	13.6	17.2	1,578			
Total	9,810	9.2	9.0	9.3	107,202			

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015.

"Trimester Prenatal Care (PNC) Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.



Los Angeles County, 2019						Distribution of Preterm Live Births			
Source of Payment for Prenatal Care	Preterm Live Births		95% Confidence Interval		Total Live Births	by Source of Payment for Prenatal Care Los Angeles County, 2019			
Prenatal Care	Number	Percent	Lower	Upper		Other/ No University Other			
No Prenatal Care	208	30.4	27.0	33.9	684	Unknown Prenatal Other 2.8% Care 2.1% Govt			
Other Govt Programs	348	10.7	9.6	11.8	3,254	Self Pay			
Private Insurance	4,330	8.6	8.4	8.8	50,369	2.6% Medi-Cal Private Ins			
Medi-Cal	4,391	9.7	9.5	10.0	45,076	Medi-Cal Private Ins 45.6% 43.9%			
Self Pay	254	5.0	4.4	5.6	5,065				
Other/ Unknown	279	10.1	9.0	11.3	2,754				
Total	9,810	9.2	9.0	9.3	107,202				

Gestation calculated based on last menses in years 2007-2014. Gestation calculated based on obstetrical estimate beginning in 2015. "Source of Payment for Prenatal Care (PNC)" excludes the prenatal care experiences of all women whose pregnancies did not result in a live

# **Early Preterm**

#### Early Preterm Live Births

INDICATOR:	Percent of Early Preterm Live Births
DEFINITION:	The percent of live births occurring at less than 32 weeks of gestation.
NUMERATOR:	The number of live births occurring at less than 32 weeks of gestation, by place of residence, in a calendar year
DENOMINATOR:	The total number of live births, by place of residence, in a calendar year

## HEALTHY PEOPLE 2020 OBJECTIVE:

Reduce early preterm births to an incidence of no more than 1.5 percent of live births. (Baseline: 1.7 percent in 2007) (Objective MICH–9.4)

## HEALTHY PEOPLE 2030 OBJECTIVE:

This objective has been removed from the list of Healthy People Objectives (Objective MICH-9.4).

		Los Angel	les County	
Year	Early F	Preterm	95% Confide	ence Interval
real	Number	Percent	Lower	Upper
2010	2,037	1.5	1.5	1.6
2011	1,921	1.5	1.4	1.5
2012	1,861	1.4	1.3	1.5
2013	1,711	1.3	1.3	1.4
2014	1,732	1.3	1.3	1.4
2015	1,695	1.4	1.3	1.4
2016	1,559	1.3	1.2	1.3
2017	1,547	1.3	1.3	1.4
2018	1,500	1.4	1.3	1.4
2019	1,515	1.4	1.3	1.5

	r: Los Angeles Live Births
Year	LA County
2010	133,160
2011	130,313
2012	131,697
2013	128,526
2014	130,150
2015	124,507
2016	122,941
2017	116,850
2018	109,893
2019	107,202


Note: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.

Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.

Sources:

California Integrated Vital Records System, 2018-2019 (for LAC birth data)

California Department of Public Health, Birth Statistical Master Files, 2011-2017 (for LAC birth data)




Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.

Sources:


California Integrated Vital Records System, 2018-2019 (for LAC birth data)

California Department of Public Health, Birth Statistical Master Files, 2011-2017 (for LAC birth data)



Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.


Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.




	Los Angeles	County, 20	19		
Mother's Age	Early Preterm Live Births		95% Confidence Interval		Total Live Births
	Number	Percent	Lower	Upper	
<18	24	2.6	1.6	3.6	925
18 to 19	20	0.7	0.4	1.1	2,729
20 to 34	988	1.3	1.3	1.4	74,087
35+	483	1.6	1.5	1.8	29,447
Other/Unknown	<5	N/C	N/C	N/C	14
Total	1,515	1.4	1.3	1.5	107,202

Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.




12 381 1.5 1.4 1.7 25,296 27,332 13 to 15 454 1.7 1.5 1.8 372 1.0 0.9 37.346 16 and Over 1.1 Unknown 75 2.7 2.1 3.3 2.780 Total 1,515 1.4 1.3 1.5 107,202



Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation.

Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.


This analysis did not adjust for teen mothers who may not have been old enough to have reached a higher categorical education level.



Numbers fewer than 5 are shown as "<5". Rates are not calculated (N/C) if number is fewer than five.

Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.


Parity is defined as the number of pregnancies resulting in live births to a woman.




Los Angeles County, 2019						Distribution of Early Preterm Live Births														
Mother's Trimester Prenatal Care Began	Early P Live E		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		95% Confidence Interval		Total Live Births	by Mother's Trimester Prenatal Care Began Los Angeles County, 2019
Frenatal Care Began	Number	Percent	Lower	Upper		Third Unknown														
No Prenatal Care	36	5.3	3.6	6.9	684	Second 0.8% 5.0% No Prenata														
First	1,234	1.3	1.3	1.4	92,238	11.6%														
Second	176	1.8	1.5	2.0	10,028	First														
Third	12	0.4	0.2	0.7	2,674	81.5%														
Unknown	57	3.6	2.7	4.5	1,578															
Total	1,515	1.4	1.3	1.5	107,202															

Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015.

"Trimester Prenatal Care (PNC) Began" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth. Source:



Notes: "Early Preterm Live Births" is defined as live births occurring at less than 32 weeks of gestation. Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015. "Source of Payment for Prenatal Care (PNC)" excludes the prenatal care experiences of all women whose pregnancies did not result in a live birth.



Gestation calculated based on last menses in years 2010-2014. Gestation calculated based on obstetrical estimate in beginning in 2015. The residential zip codes of the mother were used to allocate live births to corresponding SPA. SPA corresponding to each zip code (published in 2010) were designated using the zip code centroids. Published statistics based on other corresponding table may vary when compared. Records that cannot be assigned to any SPA are classified as "Unknown".