



COUNTY OF LOS ANGELES DEPARTMENT OF HEALTH SERVICES **Public Health**

SEXUALLY TRANSMITTED DISEASE PROGRAM

BOARD OF SUPERVISORS

Gloria Molina
First District

Yvonne B. Burke
Second District

Zev Yaroslavsky
Third District

Don Knabe
Fourth District

Michael D. Antonovich
Fifth District

STD Clinic Morbidity Report, Los Angeles County, 2002



2615 South Grand Avenue, Room 500
Los Angeles, CA 90007
TEL (213) 744-3070 • FAX (213) 749-9606

www.lapublichealth.org/std



COUNTY OF LOS ANGELES
DEPARTMENT OF HEALTH SERVICES
Public Health

THOMAS L. GARTHWAITE, M.D.
Director and Chief Medical Officer
DEPARTMENT OF HEALTH SERVICES

JONATHAN E. FIELDING, M.D., M.P.H.
Director of Public Health and Health Officer

Sexually Transmitted Disease Program

PETER R. KERNDT, M.D. M.P.H., Director
2615 South Grand Avenue, Room 500
Los Angeles, California 90007
TEL (213) 744-3070 • FAX (213) 749-9606

www.lapublichealth.org/std



BOARD OF SUPERVISORS

Gloria Molina
First District

Yvonne Brathwaite Burke
Second District

Zev Yaroslavsky
Third District

Don Knabe
Fourth District

Michael D. Antonovich
Fifth District

February 12, 2004

Dear Colleague:

I am pleased to release the report, *STD Clinic Morbidity, Los Angeles County, 2002*. This report summarizes chlamydia, gonorrhea, early syphilis, and HIV morbidity in Los Angeles County Public STD clinics from January 1, 2002 through December 31, 2002. The twelve public health clinics include: Yvonne Burke Health Center, Central Health Center, Glendale Health Center, Hollywood-Wilshire Health Center, Monrovia Health Center, Pacoima Health Center, Pomona Health Center, South Health Center, Ruth Temple Health Center, Torrance Health Center, Curtis Tucker Health Center, and Whittier Health Center.

The public health centers conducted over 45,000 STD related visits and tested over 25,000 patients for chlamydia, gonorrhea, syphilis, and HIV in 2002. Chlamydia was the most common sexually transmitted disease (STD), followed by gonorrhea, HIV and early syphilis. The overall prevalence of chlamydia was 12.3%, followed by gonorrhea with a prevalence of 4.0%, HIV with a prevalence of 0.7%, and early syphilis at 0.3%. The male-to-female ratio for chlamydia, gonorrhea, early syphilis, and HIV was 1.7:1, 3.1:1, 5.9:1, and 5.3:1 respectively. Some of these gender disparities may reflect the increased gonorrhea and syphilis screening among men who have sex with men.

This report is unique in that it represents the first time we have been able to document the STD prevalence at the health centers and provide an epidemiologic profile of those affected. We hope that this report serves as a resource in the design of population-specific STD prevention and intervention programs.

Sincerely,

Peter R. Kerndt, MD, MPH
Director, Sexually Transmitted Disease Program

Department of Health Services

Thomas L. Garthwaite, MD
Director, Health Services & Chief Medical Officer

Jonathan E. Fielding, MD, MPH
Director, Public Health & Health Officer

Robert J. Kim-Farley, MD, MPH
Director, Disease Control Programs & Deputy Health Officer

Sexually Transmitted Disease Program

Peter R. Kerndt, MD, MPH
Director, Sexually Transmitted Disease Program

Sarah Guerry, MD
Medical Director, Sexually Transmitted Disease Program

Ali Stirland, MBChB, MSc
STD Clinic Liaison

Lisa V. Smith, MS, DrPH
Director, Epidemiology

Marjan Javanbakht, PhD(c), MPH
Epidemiologist

Getahun Aynalem, Cathleen Bemis, Guillermo Campos, Cynthia Davison, Giannina Donatoni, Marian Eldahaby, Clarice Gillis, Kellie Hawkins, Jacqueline Moore, Susana Sevilla, Lina Sy

Kai-Jen Cheng, MS
Information Systems & Data Management

Joselene Samson, Linda Koai

Arnold Towns and Tony Lewis
Public Health Information System

Special thanks to:
Joy Bennett and Anthea Vernon at Ruth Temple Health Center

Public Health Centers

Yvonne Burke Health Center
2509 Pico Blvd
Santa Monica, CA 90405
(310) 998-3203

Maxine Liggins, MD, Medical Director/District Health Officer
Martina Travis, RN, Nurse Manager

Central Health Center
241 N. Figueroa Street, Los Angeles, CA 90012
(213) 240-8225
Sheree Poitier, MD, Medical Director/District Health Officer
Nancy Bendana, RN, Nurse Manager

Glendale Health Center
501 N. Glendale Avenue, Glendale, CA 91206
(818) 500-5762
Nandini Sodhi, MD, Medical Director/District Health Officer
Joanne Hobbs, RN, Nurse Manager

Hollywood-Wilshire Health Center
5205 Melrose Avenue, Los Angeles, CA 90038
(323) 769-7932

Sheree Poitier, MD, Medical Director/District Health Officer
Audrey Goto, RN, Nurse Manager

Monrovia Health Center
330 W. Maple Avenue, Monrovia, CA 91016
(626) 256-1600

Alan Kurz, MD, Medical Director/District Health Officer
Diane Rogers, RN, Nurse Manager

Pacoima Health Center
13300 Van Nuys Blvd, Pacoima, CA 91331
(818) 896-1903
Nandini Sodhi, MD, Medical Director/District Health Officer
Joanne Hobbs, RN, Nurse Manager

Pomona Health Center
750 S. Park Avenue, Pomona, CA 91766
(909) 868-0235
Alan Kurz, MD, Medical Director/District Health Officer
Diane Rogers, RN, Nurse Manager

South Health Center
1522 E. 102nd Street, Los Angeles, CA 90002
(323) 563-4112
Maxine Liggins, MD, Medical Director/District Health Officer
Martina Travis, RN, Nurse Manager

Ruth Temple Health Center
3834 S. Western Avenue, Los Angeles CA 90062
(323) 730-3576
Maxine Liggins, MD, Medical Director/District Health Officer
Martina Travis, RN, Nurse Manager

Torrance Health Center
711 Del Amo Blvd, Torrance, CA 90501
(310) 222-6571
Marsha Epstein, MD, MPH, Medical Director/District Health Officer
Barbara Smith, RN, Nurse Manager

Curtis Tucker Health Center
123 W. Manchester Blvd, Inglewood, CA 90301
(310) 419-5362
Marsha Epstein, MD, MPH, Medical Director/District Health Officer
Barbara Smith, RN, Nurse Manager

Whittier Health Center
7643 S. Painter Avenue, Whittier CA 90602
(562) 464-5350
Silvia Prieto, MD, MPH, Medical Director/District Health Officer
Noreena Cadena, RN, Nurse Manager

If you would like to receive surveillance reports and other information from the STD Program, please call (213) 744-3070 or register for STDInfo online at <http://ladhs.org/listserv> to receive surveillance reports and other information from the STD Program via e-mail.

SUGGESTED CITATION

Sexually Transmitted Disease Program. Los Angeles County Department of Health Services. *STD Clinic Morbidity Report, Los Angeles County, 2002: pp 1 – 52.*

CONTENTS

All Public Health Centers

Figure 1.	Los Angeles County Public Health Centers	
Table 1.	Summary Information	1
Table 2.	Patient Visits and Tests	2
Table 3.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	3
Table 4.	New Patient Visits and Tests	4

Yvonne Burke Health Center

Table 5.	Patient Visits and Tests	5
Table 6.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	6
Table 7.	New Patient Visits and Tests	7

Central Health Center

Table 8.	Patient Visits and Tests	8
Table 9.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	9
Table 10.	New Patient Visits and Tests	10

Glendale Health Center

Table 11.	Patient Visits and Tests	11
Table 12.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	12
Table 13.	New Patient Visits and Tests	13

Hollywood-Wilshire Health Center

Table 14.	Patient Visits and Tests	14
Table 15.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	15
Table 16.	New Patient Visits and Tests	16

Monrovia Health Center

Table 17.	Patient Visits and Tests	17
Table 18.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	18
Table 19.	New Patient Visits and Tests	19

Pacoima Health Center

Table 20.	Patient Visits and Tests	20
Table 21.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	21
Table 22.	New Patient Visits and Tests	22

Pomona Health Center

Table 23.	Patient Visits and Tests	23
Table 24.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	24
Table 25.	New Patient Visits and Tests	25

South Health Center

Table 26.	Patient Visits and Tests	26
Table 27.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	27
Table 28.	New Patient Visits and Tests	28

Ruth Temple Health Center

Table 29.	Patient Visits and Tests	29
Table 30.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	30
Table 31.	New Patient Visits and Tests	31

Torrance Health Center

Table 32.	Patient Visits and Tests	32
Table 33.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	33
Table 34.	New Patient Visits and Tests	34

Curtis Tucker Health Center

Table 35.	Patient Visits and Tests	35
Table 36.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	36
Table 37.	New Patient Visits and Tests	37

Whittier Health Center

Table 38.	Patient Visits and Tests	38
Table 39.	Chlamydia, Gonorrhea, and Early Syphilis Comorbidity	39
Table 40.	New Patient Visits and Tests	40

STD Gender Ratios

Table 41.	Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios	41
-----------	---	----

Site of Infection

Table 42.	Site of Chlamydia and Gonorrhea Infection	46
-----------	---	----

Appendices

Appendix A.	Case Definitions for Reportable STDs	49
Appendix B.	Laboratory Diagnostic Tests Used for the Diagnosis of Sexually Transmitted Diseases	51
Appendix C.	Data Management	52

Los Angeles County Public Health Centers (HC), Public Health Information Systems, 2002



Table 1. Summary Information
Public Health Information System (PHIS)
January - December 2002
All Health Centers (HC)

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^ No. Tests Positive Tests n %				
					No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	Positive Tests** n %					
All Sites***	45,090	100.0	25,414	100.0	21,333	2,622	12.3	23,164	931	4.0	23,150	879	3.8	62	0.3	19,852	132	0.7	
Y. Burke HC	1,035	2.3	469	1.8	107	11	10.3	305	7	2.3	442	11	2.5	3	0.7	435	2	0.5	
Central HC	5,620	12.5	3,031	11.9	2,524	246	9.7	2,926	74	2.5	2,743	184	6.7	13	0.5	2,523	23	0.9	
Glendale HC	2,978	6.6	1,705	6.7	1,435	90	6.3	1,658	45	2.7	1,630	23	1.4	1	0.1	1,739	8	0.5	
Hollywood HC	4,069	9.0	2,230	8.8	1,807	160	8.9	2,043	86	4.2	1,808	77	4.3	17	0.0	1,368	21	1.5	
Monrovia HC	2,562	5.7	1,339	5.3	1,109	179	16.1	1,266	23	1.8	1,287	34	2.6	2	0.2	1,472	7	0.5	
Pacoima HC	2,212	4.9	1,226	4.8	978	111	11.3	951	27	2.8	1,090	55	5.0	3	0.3	1,011	3	0.3	
Pomona HC	1,359	3.0	775	3.0	628	116	18.5	740	32	4.3	728	56	7.7	0	0.0	720	5	0.7	
South HC	7,509	16.7	4,371	17.2	4,057	600	14.8	3,731	234	6.3	3,971	193	4.9	7	0.2	2,959	26	0.9	
Temple HC	6,326	14.0	3,708	14.6	3,299	456	13.8	3,618	175	4.8	3,335	67	2.0	3	0.1	2,424	8	0.3	
Torrance HC	1,829	4.1	1,000	3.9	819	101	12.3	866	23	2.7	941	36	3.8	2	0.2	860	6	0.7	
C. Tucker HC	5,758	12.8	3,483	13.7	2,819	348	12.3	3,077	165	5.4	3,261	118	3.6	10	0.3	2,579	14	0.5	
Whittier HC	3,797	8.4	2,059	8.1	1,735	203	11.7	1,968	39	2.0	1,897	45	2.4	1	0.05	1,762	9	0.5	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***In addition to centers listed, includes "STD Clinical Visits" conducted at Azusa HC, Bell Gardens HC, Central Satellite, Imperial Heights HC, Tujunga HC, Wilmington HC, Harbor/UCLA, MLK Hospital, Olive View Hospital, and Rancho Hospital, resulting in 36 "STD Clinical Visits" and 18 patients tested for either chlamydia, gonorrhea, or syphilis

Table 2. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
All Health Centers

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis			Positive Tests** n %		HIV^			
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	No. Tests	Positive Tests n %							
Total	45,090	100.0	25,414	100.0	21,333	2,622	12.3	23,164	931	4.0	23,150	879	3.8	62	0.3	19,852	132	0.7	
Gender																			
Male	29,124	64.6	16,287	64.1	13,667	1,658	12.1	14,914	705	4.7	14,903	508	3.4	53	0.4	9,141	81	0.9	
Female	15,966	35.4	9,127	35.9	7,666	964	12.6	8,250	226	2.7	8,247	371	4.5	9	0.1	5,163	15	0.3	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5,548	36	0.6	
Age																			
< 18	1,332	3.0	773	3.0	639	194	30.4	685	40	5.8	707	9	1.3	2	0.3	576	1	0.2	
18-19	2,560	5.7	1,547	6.1	1,294	364	28.1	1,387	83	6.0	1,420	15	1.1	0	0.0	962	2	0.2	
20-29	19,388	43.0	11,066	43.5	9,407	1,495	15.9	10,222	463	4.5	10,097	152	1.5	20	0.2	5,853	32	0.5	
30-39	11,948	26.5	6,783	26.7	5,677	437	7.7	6,177	236	3.8	6,123	273	4.5	22	0.4	3,438	33	1.0	
40-49	6,724	14.9	3,648	14.4	3,070	101	3.3	3,326	84	2.5	3,327	263	7.9	15	0.5	1,823	10	0.5	
50-59	2,226	4.9	1,159	4.6	920	26	2.8	1,018	22	2.2	1,068	103	9.6	3	0.3	717	12	1.7	
60-69	689	1.5	330	1.3	259	3	1.2	277	1	0.4	304	40	13.2	0	0.0	267	2	0.7	
70+	223	0.5	108	0.4	67	2	3.0	72	2	2.8	104	24	23.1	0	0.0	169	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6,047	40	0.7	
Race/Ethnicity																			
White	6,064	13.5	3,227	12.7	2,495	169	6.8	2,934	85	2.9	2,935	63	2.1	17	0.6	--	--	--	
African American	17,288	38.3	10,579	41.6	9,235	1,259	13.6	9,641	668	6.9	9,502	303	3.2	18	0.2	--	--	--	
Hispanic	18,634	41.3	9,999	39.3	8,297	1,028	12.4	9,109	148	1.6	9,221	473	5.1	26	0.3	--	--	--	
Asian	2,075	4.6	1,079	4.2	863	107	12.4	978	17	1.7	1,002	33	3.3	0	0.0	--	--	--	
Native American	111	0.2	67	0.3	59	4	6.8	63	2	3.2	62	1	1.6	0	0.0	--	--	--	
Other	707	1.6	389	1.5	324	44	13.6	369	10	2.7	359	6	1.7	1	0.3	--	--	--	
Unknown	211	0.5	74	0.3	60	11	18.3	70	1	1.4	69	0	0.0	0	0.0	19,852	132	0.7	
Marital Status																			
Single	34,625	76.8	19,785	77.9	16,696	2,177	13.0	18,147	818	4.5	17,960	558	3.1	51	0.3	--	--	--	
Married	5,553	12.3	2,972	11.7	2,425	212	8.7	2,627	35	1.3	2,750	200	7.3	6	0.2	--	--	--	
Divorced	1,771	4.0	930	3.7	750	47	6.3	836	23	2.8	860	32	3.7	0	0.0	--	--	--	
Separated	1,184	2.6	659	2.6	558	42	7.5	594	8	1.3	596	32	5.4	1	0.2	--	--	--	
Widowed	230	0.5	117	0.5	95	7	7.4	100	2	2.0	106	13	12.3	0	0.0	--	--	--	
Unknown	1,727	3.8	951	3.7	809	137	16.9	860	45	5.2	878	44	5.0	4	0.5	19,852	132	0.7	
Type of Visit***																			
New Visit	23,087	51.2	21,853	86.0	18,537	2,346	12.7	20,309	815	4.0	20,603	711	3.5	56	0.3	--	--	--	
Return Visit	21,431	47.5	2,989	11.8	2,345	230	9.8	2,346	89	3.8	2,054	146	7.1	6	0.3	--	--	--	
Unknown	572	1.3	572	2.3	451	46	10.2	509	27	5.3	493	22	4.5	0	0.0	19,852	132	0.7	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 3. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
All Sites

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	21,333	2,622	12.3
Gonorrhea	23,164	931	4.0
Syphilis*	23,150	62	0.3
Chlamydia and Gonorrhea	20,312	228	1.1
Chlamydia and Syphilis*	19,448	1	0.01
Gonorrhea and Syphilis*	21,014	4	0.02
Chlamydia, Gonorrhea, and Syphilis*	18,527	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 4. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
All Health Centers

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	23,087	100.0	21,853	100.0	18,537	2,346	12.7	20,309	815	4.0	20,603	711	3.5	56	0.3	19,852	132	0.7
Gender																		
Male	14,863	64.4	14,100	64.5	11,943	1,478	12.4	13,164	616	4.7	13,315	427	3.2	48	0.4	9,141	81	0.9
Female	8,224	35.6	7,753	35.5	6,594	868	13.2	7,145	199	2.8	7,288	284	3.9	8	0.1	5,163	15	0.3
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5,548	36	0.6
Age																		
< 18	724	3.1	679	3.1	565	180	31.9	607	35	5.8	650	7	1.1	1	0.2	576	1	0.2
18-19	1,424	6.2	1,357	6.2	1,149	325	28.3	1,239	72	5.8	1,294	12	0.9	0	0.0	962	2	0.2
20-29	10,088	43.7	9,567	43.8	8,158	1,346	16.5	8,954	402	4.5	9,064	127	1.4	19	0.2	5,853	32	0.5
30-39	6,134	26.6	5,840	26.7	4,946	387	7.8	5,432	210	3.9	5,437	215	4.0	20	0.4	3,438	33	1.0
40-49	3,277	14.2	3,081	14.1	2,630	84	3.2	2,877	74	2.6	2,884	212	7.4	13	0.5	1,823	10	0.5
50-59	1,063	4.6	985	4.5	815	20	2.5	902	20	2.2	938	86	9.2	3	0.3	717	12	1.7
60-69	292	1.2	269	1.2	221	2	0.9	241	1	0.4	261	37	14.2	0	0.0	267	2	0.7
70+	85	0.4	75	0.3	53	2	3.8	57	1	1.8	75	15	20.0	0	0.0	169	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6,047	40	0.7
Race/Ethnicity																		
White	3,228	14.0	3,006	13.8	2,355	163	6.9	2,759	79	2.9	2,805	51	1.8	15	0.5	--	--	--
African American	9,000	39.0	8,641	39.5	7,549	1,075	14.2	7,980	570	7.1	8,066	240	3.0	17	0.2	--	--	--
Hispanic	9,273	40.1	8,751	40.0	7,433	954	12.8	8,206	139	1.7	8,336	388	4.7	24	0.3	--	--	--
Asian	1,040	4.5	976	4.5	795	98	12.3	904	14	1.5	940	26	2.8	0	0.0	--	--	--
Native American	60	0.3	59	0.3	52	4	7.7	56	2	3.6	57	1	1.8	0	0.0	--	--	--
Other	108	0.5	360	1.6	306	42	13.7	346	10	2.9	340	0	0.0	0	0.0	--	--	--
Unknown	378	1.6	57	0.3	44	10	22.7	55	1	1.8	57	5	8.8	0	0.0	19,852	132	0.7
Marital Status																		
Single	17,898	77.5	16,990	77.7	14,442	1,945	13.5	15,849	712	4.5	15,989	450	2.8	45	0.3	--	--	--
Married	2,701	11.7	2,556	11.7	2,154	191	8.9	2,343	32	1.4	2,431	163	6.7	6	0.2	--	--	--
Divorced	889	3.9	838	3.8	680	44	6.5	765	23	3.0	795	25	3.1	0	0.0	--	--	--
Separated	604	2.6	572	2.6	494	41	8.3	529	7	1.3	534	24	4.5	1	0.2	--	--	--
Widowed	107	0.5	95	0.4	79	5	6.3	85	1	1.2	89	11	12.4	0	0.0	--	--	--
Unknown	888	3.8	802	3.7	688	120	17.4	738	40	5.4	765	38	5.0	4	0.5	19,852	132	0.7

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 5. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Yvonne Burke Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^			
					No. Tests†	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %					
Total	1,035	100.0	469	100.0	107	11	10.3	305	7	2.3	442	11	2.5	3	0.7	435	2	0.5
Gender																		
Male	807	78.0	368	78.5	86	8	9.3	235	5	2.1	345	7	2.0	3	0.9	332	2	0.6
Female	228	22.0	101	21.5	21	3	14.3	70	2	2.9	97	4	4.1	0	0.0	89	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14	0	0.0
Age																		
< 18	13	1.3	4	0.9	2	0	0.0	3	0	0.0	4	0	0.0	0	0.0	--	--	--
18-19	41	4.0	23	4.9	6	3	50.0	13	1	7.7	21	0	0.0	0	0.0	--	--	--
20-29	439	42.4	194	41.4	54	5	9.3	138	5	3.6	183	2	1.1	1	0.5	--	--	--
30-39	356	34.4	169	36.0	36	2	5.6	109	0	0.0	160	5	3.1	2	1.3	--	--	--
40-49	112	10.8	46	9.8	8	1	12.5	26	1	3.8	43	2	4.7	0	0.0	--	--	--
50-59	58	5.6	25	5.3	0	--	--	14	0	0.0	24	1	4.2	0	0.0	--	--	--
60-69	9	0.9	4	0.9	0	--	--	1	0	0.0	4	0	0.0	0	0.0	--	--	--
70+	7	0.7	4	0.9	1	0	0.0	1	0	0.0	3	1	33.3	0	0.0	--	--	--
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	435	2	0.5
Race/Ethnicity																		
White	567	54.8	250	53.3	56	7	12.5	167	3	1.8	232	3	1.3	1	0.4	--	--	--
African American	126	12.2	66	14.1	10	1	10.0	38	1	2.6	63	2	3.2	0	0.0	--	--	--
Hispanic	201	19.4	85	18.1	23	0	0.0	51	1	2.0	80	6	7.5	2	2.5	--	--	--
Asian	109	10.5	52	11.1	11	2	18.2	37	1	2.7	51	0	0.0	0	0.0	--	--	--
Native American	2	0.2	1	0.2	0	--	--	0	--	--	1	0	0.0	0	0.0	--	--	--
Other	16	1.5	9	1.9	5	0	0.0	6	0	0.0	9	0	0.0	0	0.0	--	--	--
Unknown	14	1.4	6	1.3	2	1	50.0	6	1	16.7	6	0	0.0	0	0.0	435	2	0.5
Marital Status																		
Single	842	81.4	380	81.0	93	8	8.6	258	5	1.9	357	7	2.0	2	0.6	--	--	--
Married	92	8.9	43	9.2	8	3	37.5	22	2	9.1	41	3	7.3	1	2.4	--	--	--
Divorced	56	5.4	27	5.8	4	0	0.0	13	0	0.0	26	0	0.0	0	0.0	--	--	--
Separated	23	2.2	10	2.1	1	0	0.0	5	0	0.0	10	1	10.0	0	0.0	--	--	--
Widowed	5	0.5	2	0.4	0	--	--	2	0	0.0	2	0	0.0	0	0.0	--	--	--
Unknown	17	1.6	7	1.5	1	0	0.0	5	0	0.0	6	0	0.0	0	0.0	435	2	0.5
Type of Visit***																		
New Visit	519	50.1	445	94.9	96	8	8.3	287	6	2.1	430	10	2.3	3	0.7	--	--	--
Return Visit	516	49.9	24	5.1	11	3	27.3	18	1	5.6	12	1	8.3	0	0.0	--	--	--
Unknown	0	0.0	0	0.0	0	--	--	0	--	--	0	--	--	--	--	435	2	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

[^]HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

[†]Number of tests reflect chlamydia tests conducted September - December 2002; no laboratory data available for January - August 2002

Table 6. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Yvonne Burke Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	107	11	10.3
Gonorrhea	305	7	2.3
Syphilis*	442	3	0.7
Chlamydia and Gonorrhea	107	2	1.9
Chlamydia and Syphilis*	97	0	0.0
Gonorrhea and Syphilis*	278	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	97	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 7. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Yvonne Burke Health Center

		Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing		
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis			HIV^		
	n	%	n	%	No. Tests [†]	Positive Tests	%	No. Tests	Positive Tests	%	No. Tests	Positive Tests*	%	Positive Tests**	No. Tests	Positive Tests
						n	%		n	%		n	%	n	%	%
Total	519	100.0	445	100.0	96	8	8.3	287	6	2.1	430	10	2.3	3	0.7	435 2 0.5
Gender																
Male	397	76.5	349	78.4	77	6	7.8	220	5	2.3	337	6	1.8	3	0.9	332 2 0.6
Female	122	23.5	96	21.6	19	2	10.5	67	1	1.5	93	4	4.3	0	0.0	89 0 0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14 0 0.0
Age																
< 18	4	0.8	3	0.7	1	0	0.0	2	0	0.0	3	0	0.0	0	0.0	-- -- --
18-19	22	4.2	20	4.5	5	2	40.0	11	0	0.0	19	0	0.0	0	0.0	-- -- --
20-29	228	43.9	186	41.8	48	4	8.3	131	5	3.8	180	2	1.1	1	0.6	-- -- --
30-39	183	35.3	164	36.9	35	1	2.9	105	0	0.0	157	5	3.2	2	1.3	-- -- --
40-49	51	9.8	43	9.7	7	1	14.3	24	1	4.2	42	2	4.8	0	0.0	-- -- --
50-59	24	4.6	23	5.2	0	--	--	13	0	0.0	23	1	4.3	0	0.0	-- -- --
60-69	4	0.8	4	0.9	0	--	--	1	0	0.0	4	0	0.0	0	0.0	-- -- --
70+	3	0.6	2	0.4	0	--	--	0	--	--	2	0	0.0	0	0.0	-- -- --
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	435 2 0.5
Race/Ethnicity																
White	276	53.2	237	53.3	49	5	10.2	157	3	1.9	226	2	0.9	1	0.4	-- -- --
African American	74	14.3	63	14.2	9	1	11.1	36	1	2.8	61	2	3.3	0	0.0	-- -- --
Hispanic	92	17.7	80	18.0	22	0	0.0	47	1	2.1	79	6	7.6	2	2.5	-- -- --
Asian	58	11.2	50	11.2	10	1	10.0	36	0	0.0	49	0	0.0	0	0.0	-- -- --
Native American	1	0.2	1	0.2	0	--	--	0	--	--	1	0	0.0	0	0.0	-- -- --
Other	11	2.1	8	1.8	4	0	0.0	5	0	0.0	8	0	0.0	0	0.0	-- -- --
Unknown	7	1.3	6	1.3	2	1	50.0	6	1	16.7	6	0	0.0	0	0.0	435 2 0.5
Marital Status																
Single	426	82.1	362	81.3	85	7	8.2	244	5	2.0	348	6	1.7	2	0.6	-- -- --
Married	45	8.7	39	8.8	6	1	16.7	19	1	5.3	39	3	7.7	1	2.6	-- -- --
Divorced	29	5.6	26	5.8	3	0	0.0	12	0	0.0	26	0	0.0	0	0.0	-- -- --
Separated	9	1.7	9	2.0	1	0	0.0	5	0	0.0	9	1	11.1	0	0.0	-- -- --
Widowed	2	0.4	2	0.4	0	--	--	2	0	0.0	2	0	0.0	0	0.0	-- -- --
Unknown	8	1.5	7	1.6	1	0	0.0	5	0	0.0	6	0	0.0	0	0.0	435 2 0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

†Number of tests reflect chlamydia tests conducted September - December 2002; no laboratory data available for January - August 2002

Table 8. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Central Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	5,620	100.0	3,031	100.0	2,524	246	9.8	2,926	74	2.5	2,743	184	6.7	13	0.5	2,523	23	0.9
Gender																		
Male	4,075	72.5	2,194	72.4	1,822	153	8.4	2,131	63	3.0	1,984	121	6.1	13	0.7	1,114	15	1.3
Female	1,545	27.5	837	27.6	702	93	13.2	795	11	1.4	759	63	8.3	0	0.0	469	1	0.2
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	940	7	0.7
Age																		
< 18	125	2.2	66	2.2	52	12	23.1	64	0	0.0	60	0	0.0	0	0.0	51	0	0.0
18-19	191	3.4	109	3.6	84	20	23.8	102	2	2.0	98	2	2.0	0	0.0	62	0	0.0
20-29	2,007	35.7	1,072	35.4	907	158	17.4	1,048	29	2.8	977	39	4.0	6	0.6	566	3	0.5
30-39	1,662	29.6	920	30.3	768	39	5.1	897	30	3.3	832	56	6.7	5	0.6	474	10	2.1
40-49	1,078	19.2	578	19.1	483	14	2.9	554	9	1.6	517	50	9.7	2	0.4	267	2	0.7
50-59	393	7.0	207	6.8	168	3	1.8	192	4	2.1	186	19	10.2	0	0.0	119	2	1.7
60-69	133	2.4	64	2.1	53	0	0.0	58	0	0.0	58	11	19.0	0	0.0	43	0	0.0
70+	31	0.5	15	0.5	9	0	0.0	11	0	0.0	15	7	46.7	0	0.0	21	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	920	6	0.7
Race/Ethnicity																		
White	441	7.9	229	7.5	194	10	5.2	223	5	2.2	199	9	4.5	1	0.5	--	--	--
African American	1,042	18.5	623	20.5	528	35	6.6	605	36	6.0	534	36	6.7	3	0.6	--	--	--
Hispanic	3,718	66.2	1,963	64.8	1,616	163	10.1	1,896	26	1.4	1,815	134	7.4	9	0.5	--	--	--
Asian	288	5.1	151	5.0	127	21	16.5	139	6	4.3	135	3	2.2	0	0.0	--	--	--
Native American	6	0.1	3	0.1	3	0	0.0	3	0	0.0	3	0	0.0	0	0.0	--	--	--
Other	108	1.9	54	1.8	48	14	29.2	52	1	1.9	51	2	3.9	0	0.0	--	--	--
Unknown	17	0.3	8	0.3	8	3	37.5	8	0	0.0	6	0	0.0	0	0.0	2,523	23	0.9
Marital Status																		
Single	4,226	75.2	2,271	74.9	1,886	198	10.5	2,198	65	3.0	2,047	132	6.4	12	0.6	--	--	--
Married	868	15.4	469	15.5	386	29	7.5	450	1	0.2	434	31	7.1	0	0.0	--	--	--
Divorced	166	3.0	93	3.1	74	3	4.0	89	4	4.5	81	3	3.7	0	0.0	--	--	--
Separated	157	2.8	91	3.0	85	3	3.5	88	2	2.3	81	6	7.4	0	0.0	--	--	--
Widowed	27	0.5	12	0.4	10	0	0.0	11	0	0.0	11	2	18.2	0	0.0	--	--	--
Unknown	176	3.1	95	3.1	83	13	15.7	90	2	2.2	89	10	11.2	1	1.1	2,523	23	0.9
Type of Visit***																		
New Visit	2,922	52.0	2,801	92.4	2,399	238	9.9	2,762	69	2.5	2,592	174	6.7	13	0.5	--	--	--
Return Visit	2,621	46.6	153	5.0	60	3	5.0	90	3	3.3	86	6	7.0	0	0.0	--	--	--
Unknown	77	1.4	77	2.5	65	5	7.7	74	2	2.7	65	4	6.2	0	0.0	2,523	23	0.9

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

[^]HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 9. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Central Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	2,524	246	9.8
Gonorrhea	2,926	74	2.5
Syphilis*	2,743	13	2.0
Chlamydia and Gonorrhea	2,498	7	0.3
Chlamydia and Syphilis*	2,312	0	0.0
Gonorrhea and Syphilis*	2,642	2	0.08
Chlamydia, Gonorrhea, and Syphilis*	2,290	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

**Table 10. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Central Health Center**

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis					HIV^		
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	2,922	100.0	2,801	100.0	2,399	238	9.9	2,762	69	2.5	2,592	174	6.7	13	0.5	2,523	23	0.9
Gender																		
Male	2,119	72.5	2,036	72.7	1,738	147	8.5	2,017	59	2.9	1,881	117	6.2	13	0.7	1,114	15	1.3
Female	803	27.5	765	27.3	661	91	13.8	745	10	1.3	711	57	8.0	0	0.0	469	1	0.2
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	940	7	0.7
Age																		
< 18	60	2.1	56	2.0	47	12	25.5	56	0	0.0	54	0	0.0	0	0.0	51	0	0.0
18-19	104	3.6	98	3.5	79	19	24.1	95	2	2.1	91	2	2.2	0	0.0	62	0	0.0
20-29	1,046	35.8	997	35.6	856	154	18.0	983	27	2.7	932	36	3.9	6	0.6	566	3	0.5
30-39	904	30.9	874	31.2	742	37	5.0	861	29	3.4	803	55	6.8	5	0.6	474	10	2.1
40-49	546	18.7	528	18.8	457	13	2.8	523	8	1.5	481	48	10.0	2	0.4	267	2	0.7
50-59	194	6.6	185	6.6	163	3	1.8	182	3	1.6	171	18	10.5	0	0.0	119	2	1.7
60-69	59	2.0	55	2.0	49	0	0.0	54	0	0.0	52	10	19.2	0	0.0	43	0	0.0
70+	9	0.3	8	0.3	6	0	0.0	8	0	0.0	8	5	62.5	0	0.0	21	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	920	6	0.7
Race/Ethnicity																		
White	223	7.6	215	7.7	186	10	5.4	212	5	2.4	189	9	4.8	1	0.5	--	--	--
African American	594	20.3	570	20.4	493	33	6.7	560	33	5.9	511	36	7.0	3	0.6	--	--	--
Hispanic	1,899	65.0	1,822	65.0	1,546	158	10.2	1,800	24	1.3	1,713	125	7.3	9	0.5	--	--	--
Asian	140	4.8	133	4.7	118	21	17.8	130	6	4.6	121	2	1.7	0	0.0	--	--	--
Native American	3	0.1	3	0.1	3	0	0.0	3	0	0.0	3	0	0.0	0	0.0	--	--	--
Other	55	1.9	52	1.9	47	14	29.8	51	1	2.0	49	2	4.1	0	0.0	--	--	--
Unknown	8	0.3	6	0.2	6	2	33.3	6	0	0.0	6	0	0.0	0	0.0	2,523	23	0.9
Marital Status																		
Single	2,191	75.0	2,097	74.9	1,791	193	10.8	2,073	60	2.9	1,937	125	6.5	12	0.6	--	--	--
Married	451	15.4	434	15.5	368	26	7.1	425	1	0.2	409	29	7.1	0	0.0	--	--	--
Divorced	91	3.1	88	3.1	72	3	4.2	86	4	4.7	77	3	3.9	0	0.0	--	--	--
Separated	86	3.0	86	3.1	81	3	3.7	84	2	2.4	78	6	7.7	0	0.0	--	--	--
Widowed	10	0.3	9	0.3	8	0	0.0	9	0	0.0	8	1	12.5	0	0.0	--	--	--
Unknown	93	3.2	87	3.1	79	13	16.5	85	2	2.4	83	10	12.0	1	1.2	2,523	23	0.9

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 11. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Glendale Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^				
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %						
Total	2,978	100.0	1,705	100.0	1,435	90	6.3	1,658	45	2.7	1,630	23	1.4	1	0.1	1,739	8	0.5	
Gender																			
Male	1,966	66.0	1,125	66.0	935	65	7.0	1,098	36	3.3	1,075	17	1.6	1	0.1	1,131	7	0.6	
Female	1,012	34.0	580	34.0	500	25	5.0	560	9	1.6	555	6	1.1	0	0.0	598	1	0.2	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10	0	0.0	
Age																			
< 18	53	1.8	29	1.7	26	1	3.8	29	0	0.0	28	0	0.0	0	0.0	48	0	0.0	
18-19	143	4.8	92	5.4	82	8	9.8	88	3	3.4	89	0	0.0	0	0.0	108	0	0.0	
20-29	1,474	49.5	850	49.9	713	48	6.7	828	18	2.2	816	10	1.2	1	0.1	844	4	0.5	
30-39	801	26.9	454	26.6	386	22	5.7	445	16	3.6	432	5	1.2	0	0.0	462	2	0.4	
40-49	340	11.4	184	10.8	158	8	5.1	180	7	3.9	176	5	2.8	0	0.0	176	0	0.0	
50-59	122	4.1	73	4.3	56	3	5.4	69	1	1.4	67	2	3.0	0	0.0	64	2	3.1	
60-69	38	1.3	20	1.2	13	0	0.0	16	0	0.0	19	1	5.3	0	0.0	18	0	0.0	
70+	7	0.2	3	0.2	1	0	0.0	3	0	0.0	3	0	0.0	0	0.0	10	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	0	0.0	
Race/Ethnicity																			
White	1,257	42.2	715	41.9	597	19	3.2	696	21	3.0	689	6	0.9	0	0.0	--	--	--	
African American	262	8.8	167	9.8	151	24	15.9	166	11	6.6	158	2	1.3	1	0.6	--	--	--	
Hispanic	956	32.1	546	32.0	456	33	7.2	524	11	2.1	515	13	2.5	0	0.0	--	--	--	
Asian	307	10.3	168	9.9	141	10	7.1	165	1	0.6	161	2	1.2	0	0.0	--	--	--	
Native American	11	0.4	6	0.4	4	0	0.0	6	0	0.0	6	0	0.0	0	0.0	--	--	--	
Other	162	5.4	92	5.4	78	3	3.8	91	1	1.1	90	0	0.0	0	0.0	--	--	--	
Unknown	23	0.8	11	0.6	8	1	12.5	10	0	0.0	11	0	0.0	0	0.0	1,739	8	0.5	
Marital Status																			
Single	2,268	76.1	1,309	76.8	1,119	65	5.8	1,281	34	2.7	1,249	10	0.8	1	0.1	--	--	--	
Married	294	9.9	168	9.9	135	10	7.4	161	3	1.9	160	7	4.4	0	0.0	--	--	--	
Divorced	183	6.1	97	5.7	77	6	7.8	95	2	2.1	94	2	2.1	0	0.0	--	--	--	
Separated	89	3.0	48	2.8	39	1	2.6	42	0	0.0	45	2	4.4	0	0.0	--	--	--	
Widowed	8	0.3	4	0.2	4	1	25.0	4	0	0.0	4	1	25.0	0	0.0	--	--	--	
Unknown	136	4.6	79	4.6	61	7	11.5	75	6	8.0	78	1	1.3	0	0.0	1,739	8	0.5	
Type of Visit***																			
New Visit	1,631	54.8	1,597	93.7	1,366	84	6.1	1,572	42	2.7	1,578	20	1.3	1	0.1	--	--	--	
Return Visit	1,341	45.0	102	6.0	65	5	7.7	81	2	2.5	46	3	6.5	0	0.0	--	--	--	
Unknown	6	0.2	6	0.4	4	1	25.0	5	1	20.0	6	0	0.0	0	0.0	1,739	8	0.5	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 12. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Glendale Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	1,435	90	6.3
Gonorrhea	1,658	45	2.7
Syphilis*	1,630	1	0.1
Chlamydia and Gonorrhea	1,418	9	0.6
Chlamydia and Syphilis*	1,376	0	0.0
Gonorrhea and Syphilis*	1,585	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	1,360	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 13. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Glendale Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	1,631	100.0	1,597	100.0	1,366	84	6.1	1,572	42	2.7	1,578	20	1.3	1	0.1	1,739	8	0.5
Gender																		
Male	1,076	66.0	1,056	66.1	889	62	7.0	1,038	33	3.2	1,044	17	1.6	1	0.1	1,131	7	0.6
Female	555	34.0	541	33.9	477	22	4.6	534	9	1.7	534	3	0.6	0	0.0	598	1	0.2
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10	0	0.0
Age																		
< 18	30	1.8	27	1.7	24	1	4.2	27	0	0.0	27	0	0.0	0	0.0	48	0	0.0
18-19	85	5.2	85	5.3	76	8	10.5	81	3	3.7	85	0	0.0	0	0.0	108	0	0.0
20-29	815	50.0	801	50.2	683	44	6.4	791	17	2.1	794	8	1.0	1	0.1	844	4	0.5
30-39	433	26.6	426	26.7	368	21	5.7	422	16	3.8	418	4	1.0	0	0.0	462	2	0.4
40-49	180	11.0	174	10.9	151	8	5.3	171	5	2.9	171	5	2.9	0	0.0	176	0	0.0
50-59	68	4.2	65	4.1	52	2	3.8	63	1	1.6	64	2	3.1	0	0.0	64	2	3.1
60-69	17	1.0	16	1.0	11	0	0.0	14	0	0.0	16	1	6.3	0	0.0	18	0	0.0
70+	3	0.2	3	0.2	1	0	0.0	3	0	0.0	3	0	0.0	0	0.0	10	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	0	0.0
Race/Ethnicity																		
White	696	42.7	679	42.5	573	18	3.1	665	19	2.9	673	5	0.7	0	0.0	--	--	--
African American	160	9.8	156	9.8	141	21	14.9	156	11	7.1	154	2	1.3	1	0.6	--	--	--
Hispanic	510	31.3	500	31.3	431	32	7.4	492	10	2.0	490	11	2.2	0	0.0	--	--	--
Asian	159	9.7	158	9.9	134	9	6.7	156	1	0.6	158	2	1.3	0	0.0	--	--	--
Native American	6	0.4	6	0.4	4	0	0.0	6	0	0.0	6	0	0.0	0	0.0	--	--	--
Other	87	5.3	87	5.4	75	3	4.0	87	1	1.1	86	0	0.0	0	0.0	--	--	--
Unknown	13	0.8	11	0.7	8	1	12.5	10	0	0.0	11	0	0.0	0	0.0	1,739	8	0.5
Marital Status																		
Single	1,248	76.5	1,227	76.8	1,062	61	5.7	1,211	31	2.6	1,213	10	0.8	1	0.1	--	--	--
Married	159	9.8	155	9.7	129	9	7.0	152	3	2.0	152	6	3.9	0	0.0	--	--	--
Divorced	97	6.0	94	5.9	74	5	6.8	40	2	5.0	94	2	2.1	0	0.0	--	--	--
Separated	43	2.6	41	2.6	37	1	2.7	92	0	0.0	39	0	0.0	0	0.0	--	--	--
Widowed	5	0.3	4	0.3	4	1	25.0	4	0	0.0	4	1	0.0	0	0.0	--	--	--
Unknown	79	4.8	76	4.8	60	7	11.7	73	6	8.2	76	1	1.3	0	0.0	1,739	8	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 14. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Hollywood/Wilshire Health Center

		Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing		
	Total STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis			HIV [^]		
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests
Total	4,069	100.0	2,230	100.0	1,807	160	8.9	2,043	86	4.2	1,808	77	4.3	17	0.9	1,368
Gender																
Male	3,155	77.5	1,719	77.1	1,393	110	7.9	1,588	82	5.2	1,412	63	4.4	17	1.2	1,019
Female	914	22.5	511	22.9	414	50	12.1	455	4	0.9	396	14	3.5	0	0.0	331
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18
Age																
< 18	37	0.9	19	0.8	13	1	7.7	16	0	0.0	17	2	11.8	0	0.0	20
18-19	91	2.2	50	2.2	43	12	27.9	45	2	4.4	41	1	2.4	0	0.0	38
20-29	1,603	39.4	911	40.8	755	91	12.1	843	39	4.6	725	16	2.2	5	0.7	592
30-39	1,477	36.3	800	35.9	647	41	6.3	730	36	4.9	643	25	3.9	7	1.1	450
40-49	577	14.2	310	13.9	241	10	4.2	287	6	2.1	261	17	6.5	4	1.5	165
50-59	197	4.9	101	4.5	76	5	6.6	92	3	3.3	83	10	12.0	1	1.2	53
60-69	75	1.8	33	1.5	28	0	0.0	27	0	0.0	32	6	18.8	0	0.0	20
70+	12	0.3	6	0.3	4	0	0.0	3	0	0.0	6	0	0.0	0	0.0	9
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21
Race/Ethnicity																
White	1,313	32.3	719	32.3	567	39	6.9	656	33	5.0	587	28	4.8	12	2.0	--
African American	804	19.8	490	22.0	415	37	8.9	464	35	7.5	372	11	3.0	1	0.3	--
Hispanic	1,607	39.5	846	37.9	687	68	9.9	765	12	1.6	708	33	4.7	4	0.6	--
Asian	238	5.8	119	5.3	91	10	11.0	103	4	3.9	98	5	5.1	0	0.0	--
Native American	9	0.2	6	0.3	4	1	25.0	6	0	0.0	5	0	0.0	0	0.0	--
Other	89	2.2	47	0.1	40	5	12.5	46	2	4.4	35	0	0.0	0	0.0	--
Unknown	9	0.2	3	2.1	3	0	0.0	3	0	0.0	3	0	0.0	0	0.0	1,368
Marital Status																
Single	3,301	81.1	1,821	81.7	1,478	123	8.3	1,682	81	4.8	1,485	59	4.0	16	1.1	--
Married	445	11.0	239	10.7	188	20	10.6	210	2	1.0	190	12	6.3	0	0.0	--
Divorced	198	4.9	106	4.8	85	9	10.6	95	3	3.2	88	3	3.4	0	0.0	--
Separated	78	1.9	41	1.8	34	2	5.9	36	0	0.0	31	3	9.7	1	3.2	--
Widowed	5	0.1	3	0.1	3	1	33.3	3	0	0.0	3	0	0.0	0	0.0	--
Unknown	42	1.0	20	0.9	19	5	26.3	17	0	0.0	11	0	0.0	0	0.0	1,368
Type of Visit***																
New Visit	2,177	53.5	2,027	90.9	1,669	153	9.2	1,881	82	4.4	1,690	66	3.9	14	0.8	--
Return Visit	1,822	44.8	133	6.0	80	4	5.0	97	2	2.1	54	7	13.0	3	5.6	--
Unknown	70	1.7	70	3.1	58	3	5.2	65	2	3.1	64	4	6.3	0	0.0	1,368

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

[^]HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

**Table 15. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Hollywood/Wilshire Health Center**

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	1,807	160	8.9
Gonorrhea	2,043	86	4.2
Syphilis*	1,808	17	0.9
Chlamydia and Gonorrhea	1,704	9	0.5
Chlamydia and Syphilis*	1,441	0	0.0
Gonorrhea and Syphilis**	1,642	2	0.1
Chlamydia, Gonorrhea, and Syphilis*	1,340	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 16. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Hollywood/Wilshire Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^				
	n	%	n	%	No. Tests	Positive Tests n	Positive Tests %	No. Tests	Positive Tests n	Positive Tests %	No. Tests	Positive Tests* n	Positive Tests* %	Positive Tests** n	Positive Tests** %	No. Tests	Positive Tests n	Positive Tests %	
Total	2,177	100.0	2,027	100.0	1,669	153	9.2	1,881	82	4.4	1,690	66	3.9	14	0.8	1,368	21	1.5	
Gender																			
Male	1,672	76.8	1,560	77.0	1,286	106	8.2	1,461	78	5.3	1,315	52	4.0	14	1.1	1,019	18	1.8	
Female	505	23.2	467	23.0	383	47	12.3	420	4	1.0	375	14	3.7	0	0.0	331	3	0.9	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	18	0	0.0	
Age																			
< 18	19	0.9	18	0.9	12	1	8.3	15	0	0.0	16	2	12.5	0	0.0	20	0	0.0	
18-19	53	2.4	49	2.4	42	11	26.2	44	2	4.5	41	1	2.4	0	0.0	38	1	2.6	
20-29	888	40.8	833	41.1	696	89	12.8	777	36	4.6	688	15	2.2	5	0.7	592	6	1.0	
30-39	776	35.7	727	35.9	599	39	6.5	674	35	5.2	598	20	3.3	5	0.8	450	9	2.0	
40-49	308	14.1	281	13.9	225	10	4.4	265	6	2.3	238	12	5.0	3	1.3	165	1	0.6	
50-59	95	4.4	85	4.2	66	3	4.5	79	3	3.8	75	10	13.3	1	1.3	53	2	3.8	
60-69	31	1.4	29	1.4	25	0	0.0	24	0	0.0	29	6	20.7	0	0.0	20	1	5.0	
70+	7	0.3	5	0.2	4	0	0.0	3	0	0.0	5	0	0.0	0	0.0	9	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21	1	4.8	
Race/Ethnicity																			
White	714	32.8	659	32.5	527	39	7.4	606	31	5.1	548	22	4.0	10	1.8	--	--	--	
African American	474	21.7	447	22.1	380	36	9.5	426	33	7.7	353	10	2.8	1	0.3	--	--	--	
Hispanic	816	37.5	763	37.6	638	63	9.9	707	12	1.7	656	29	4.4	3	0.5	--	--	--	
Asian	118	5.4	106	5.2	81	9	11.1	91	4	4.4	92	5	5.4	0	0.0	--	--	--	
Native American	6	0.3	6	0.3	4	1	25.0	6	0	0.0	5	0	0.0	0	0.0	--	--	--	
Other	45	2.1	43	2.1	36	5	13.9	42	2	4.8	33	0	0.0	0	0.0	--	--	--	
Unknown	4	0.2	3	0.2	3	0	0.0	3	0	0.0	3	0	0.0	0	0.0	1,368	21	1.5	
Marital Status																			
Single	1,765	81.1	1,646	81.2	1,359	118	8.7	1,540	77	5.0	1,384	49	3.5	13	0.9	--	--	--	
Married	240	11.0	224	11.1	179	20	11.2	201	2	1.0	182	12	6.6	0	0.0	--	--	--	
Divorced	104	4.8	98	4.8	78	9	11.5	88	3	3.4	83	3	3.6	0	0.0	--	--	--	
Separated	44	2.0	39	1.9	33	2	6.1	34	0	0.0	29	2	6.9	1	3.4	--	--	--	
Widowed	2	0.1	2	0.1	2	0	0.0	2	0	0.0	2	0	0.0	0	0.0	--	--	--	
Unknown	22	1.0	18	0.9	18	4	22.2	16	0	0.0	10	0	0.0	0	0.0	1,368	21	1.5	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 17. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Monrovia Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^			
					No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	2,562	100.0	1,339	100.0	1,109	179	16.1	1,266	23	1.8	1,287	34	2.6	2	0.2	1,472	7	0.5
Gender																		
Male	1,616	63.1	839	62.7	700	116	16.6	789	16	2.0	806	20	2.5	1	0.1	906	5	0.6
Female	946	36.9	500	37.3	409	63	15.4	477	7	1.5	481	14	2.9	1	0.2	552	2	0.4
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14	0	0.0
Age																		
< 18	79	3.1	47	3.5	40	11	27.5	45	2	4.4	45	0	0.0	0	0.0	83	1	1.2
18-19	217	8.5	128	9.6	107	33	30.8	119	5	4.2	121	3	2.5	0	0.0	139	0	0.0
20-29	1,249	48.7	654	48.8	542	101	18.6	630	8	1.3	631	4	0.6	0	0.0	624	4	0.6
30-39	574	22.4	302	22.6	255	26	10.2	282	6	2.1	288	10	3.5	1	0.3	310	1	0.3
40-49	304	11.9	144	10.8	112	7	6.3	132	2	1.5	138	12	8.7	1	0.7	148	0	0.0
50-59	83	3.2	39	2.9	33	1	3.0	38	0	0.0	39	2	5.1	0	0.0	75	0	0.0
60-69	44	1.7	19	1.4	15	0	0.0	14	0	0.0	19	3	15.8	0	0.0	38	1	2.6
70+	12	0.5	6	0.4	5	0	0.0	6	0	0.0	6	0	0.0	0	0.0	41	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14	0	0.0
Race/Ethnicity																		
White	386	15.1	208	15.5	168	13	7.7	199	6	3.0	200	2	1.0	1	0.5	--	--	--
African American	208	8.1	122	9.1	95	21	22.1	113	5	4.4	120	3	2.5	0	0.0	--	--	--
Hispanic	1,557	60.8	806	60.2	680	122	17.9	762	11	1.4	771	24	3.1	1	0.1	--	--	--
Asian	353	13.8	172	12.8	143	16	11.2	163	0	0.0	166	5	3.0	0	0.0	--	--	--
Native American	11	0.4	7	0.5	7	2	28.6	7	0	0.0	7	0	0.0	0	0.0	--	--	--
Other	44	1.7	22	1.6	14	4	28.6	20	1	5.0	22	0	0.0	0	0.0	--	--	--
Unknown	3	0.1	2	0.1	2	1	50.0	2	0	0.0	1	0	0.0	0	0.0	1,472	7	0.5
Marital Status																		
Single	1,771	69.1	944	70.5	795	137	17.2	897	18	2.0	906	14	1.5	1	0.1	--	--	--
Married	482	18.8	235	17.6	186	27	14.5	219	2	0.9	228	15	6.6	1	0.4	--	--	--
Divorced	114	4.5	56	4.2	46	2	4.3	51	1	2.0	53	2	3.8	0	0.0	--	--	--
Separated	41	1.6	21	1.6	16	0	0.0	19	0	0.0	21	0	0.0	0	0.0	--	--	--
Widowed	11	0.4	6	0.4	4	0	0.0	6	0	0.0	6	0	0.0	0	0.0	--	--	--
Unknown	143	5.6	77	5.8	62	13	0.0	74	2	2.7	73	3	4.1	0	0.0	1,472	7	0.5
Type of Visit***																		
New Visit	1,268	49.5	1,246	93.1	1,057	168	15.9	1,212	23	1.9	1,227	28	2.3	2	0.2	--	--	--
Return Visit	1,292	50.4	91	6.8	50	11	22.0	52	0	0.0	58	6	10.3	0	0.0	--	--	--
Unknown	2	0.1	2	0.1	2	0	0.0	2	0	0.0	2	0	0.0	0	0.0	1,472	7	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 18. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Monrovia Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	1,109	179	16.1
Gonorrhea	1,266	23	1.8
Syphilis*	1,287	2	0.2
Chlamydia and Gonorrhea	1,078	8	0.7
Chlamydia and Syphilis*	1,071	0	0.0
Gonorrhea and Syphilis*	1,218	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	1,043	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 19. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Monrovia Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	1,268	100.0	1,246	100.0	1,057	168	15.9	1,212	23	1.9	1,227	28	2.3	2	0.2	1,472	7	0.5
Gender																		
Male	804	63.4	788	63.2	669	108	16.1	759	16	2.1	777	17	2.2	1	0.1	906	5	0.6
Female	464	36.6	458	36.8	388	60	15.5	453	7	1.5	450	11	2.4	1	0.2	552	2	0.4
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14	0	0.0
Age																		
< 18	45	3.5	45	3.6	39	11	28.2	44	2	4.5	44	0	0.0	0	0.0	83	1	1.2
18-19	115	9.1	115	9.2	101	30	29.7	111	5	4.5	113	2	1.8	0	0.0	139	0	0.0
20-29	633	49.9	620	49.8	517	96	18.6	603	8	1.3	613	3	0.5	0	0.0	624	4	0.6
30-39	282	22.2	275	22.1	240	23	9.6	269	6	2.2	271	8	3.0	1	0.4	310	1	0.3
40-49	132	10.4	132	10.6	109	7	6.4	128	2	1.6	127	10	7.9	1	0.8	148	0	0.0
50-59	38	3.0	38	3.0	32	1	3.1	37	0	0.0	38	2	5.3	0	0.0	75	0	0.0
60-69	16	1.3	15	1.2	14	0	0.0	14	0	0.0	15	3	20.0	0	0.0	38	1	2.6
70+	7	0.6	6	0.5	5	0	0.0	6	0	0.0	6	0	0.0	0	0.0	41	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14	0	0.0
Race/Ethnicity																		
White	200	15.8	196	15.7	163	13	8.0	191	6	3.1	193	1	0.5	1	0.5	--	--	--
African American	117	9.2	115	9.2	91	19	20.9	108	5	4.6	114	3	2.6	0	0.0	--	--	--
Hispanic	758	59.8	745	59.8	644	115	17.9	728	11	1.5	732	20	2.7	1	0.1	--	--	--
Asian	162	12.8	159	12.8	136	14	10.3	156	0	0.0	158	4	2.5	0	0.0	--	--	--
Native American	7	0.5	7	0.6	7	2	28.6	7	0	0.0	7	0	0.0	0	0.0	--	--	--
Other	22	1.7	22	1.8	14	4	28.6	20	1	5.0	22	0	0.0	0	0.0	--	--	--
Unknown	2	0.2	2	0.2	2	1	50.0	2	0	0.0	1	0	0.0	0	0.0	1,472	7	0.5
Marital Status																		
Single	899	70.9	882	70.8	758	130	17.2	859	18	1.1	872	10	1.1	1	0.1	--	--	--
Married	220	17.4	217	17.4	179	26	14.5	212	2	6.1	213	13	6.1	1	0.5	--	--	--
Divorced	50	3.9	50	4.0	43	1	2.3	48	1	4.3	47	2	4.3	0	0.0	--	--	--
Separated	20	1.6	20	1.6	15	0	0.0	18	0	0.0	20	0	0.0	0	0.0	--	--	--
Widowed	5	0.4	5	0.4	3	0	0.0	5	0	0.0	5	0	0.0	0	0.0	--	--	--
Unknown	74	5.8	72	5.8	59	11	18.6	70	2	4.3	70	3	4.3	0	0.0	1,472	7	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 20. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Pacoima Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^				
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %						
Total	2,212	100.0	1,226	100.0	978	111	11.3	951	27	2.8	1,090	55	5.0	3	0.3	1,011	3	0.3	
Gender																			
Male	1,369	61.9	765	62.4	644	81	12.6	637	20	3.1	687	28	4.1	2	0.3	620	3	0.5	
Female	843	38.1	461	37.6	334	30	9.0	314	7	2.2	403	27	6.7	1	0.2	365	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	26	0	0.0	
Age																			
< 18	69	3.1	43	3.5	29	3	10.3	33	1	3.0	39	1	2.6	0	0.0	47	0	0.0	
18-19	139	6.3	87	7.1	65	19	29.2	64	2	3.1	77	1	1.3	0	0.0	91	0	0.0	
20-29	1,035	46.8	578	47.1	481	67	13.9	465	13	2.8	518	19	3.7	2	0.4	466	0	0.0	
30-39	562	25.4	303	24.7	242	20	8.3	231	7	3.0	269	17	6.3	1	0.4	216	1	0.5	
40-49	260	11.8	138	11.3	104	1	1.0	102	3	2.9	116	9	7.8	0	0.0	110	0	0.0	
50-59	107	4.8	57	4.6	45	1	2.2	44	1	2.3	52	5	9.6	0	0.0	45	2	4.4	
60-69	25	1.1	12	1.0	9	0	0.0	8	0	0.0	11	2	18.2	0	0.0	13	0	0.0	
70+	15	0.7	8	0.7	3	0	0.0	4	0	0.0	8	1	12.5	0	0.0	7	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16	0	0.0	
Race/Ethnicity																			
White	309	14.0	157	12.8	138	9	6.5	125	0	0.0	143	2	1.4	1	0.7	--	--	--	
African American	266	12.0	168	13.7	139	15	10.8	135	15	11.1	142	5	3.5	0	0.0	--	--	--	
Hispanic	1,531	69.2	842	68.7	655	80	12.2	645	12	1.9	752	44	5.9	2	0.3	--	--	--	
Asian	64	2.9	36	2.9	28	6	21.4	26	0	0.0	31	3	9.7	0	0.0	--	--	--	
Native American	11	0.5	7	0.6	6	0	0.0	6	0	0.0	6	0	0.0	0	0.0	--	--	--	
Other	26	1.2	14	1.1	12	1	8.3	12	0	0.0	14	1	7.1	0	0.0	--	--	--	
Unknown	5	0.2	2	0.2	0	--	--	2	0	0.0	2	0	0.0	0	0.0	1,011	3	0.3	
Marital Status																			
Single	1,473	66.6	831	67.8	687	85	12.4	670	23	3.4	735	22	3.0	3	0.4	--	--	--	
Married	534	24.1	277	22.6	201	18	9.0	198	0	0.0	250	27	10.8	0	0.0	--	--	--	
Divorced	77	3.5	43	3.5	35	2	5.7	36	1	2.8	39	2	5.1	0	0.0	--	--	--	
Separated	69	3.1	38	3.1	33	2	6.1	29	2	6.9	32	0	0.0	0	0.0	--	--	--	
Widowed	6	0.3	5	0.4	1	0	0.0	0	--	--	5	0	0.0	0	0.0	--	--	--	
Unknown	53	2.4	32	2.6	21	4	19.0	18	1	5.6	29	4	13.8	0	0.0	1,011	3	0.3	
Type of Visit***																			
New Visit	1,126	50.9	1,077	87.8	911	105	11.5	882	26	2.9	1,005	50	5.0	3	0.3	--	--	--	
Return Visit	1,083	49.0	146	11.9	66	6	9.1	68	1	1.5	83	5	6.0	0	0.0	--	--	--	
Unknown	3	0.1	3	0.2	1	0	0.0	1	0	0.0	2	0	0.0	0	0.0	1,011	3	0.3	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing unlinked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 21. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Pacoima Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	978	111	11.3
Gonorrhea	951	27	2.8
Syphilis*	1,090	3	0.3
Chlamydia and Gonorrhea	864	9	1.0
Chlamydia and Syphilis*	856	0	0.0
Gonorrhea and Syphilis*	827	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	752	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 22. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Pacoima Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	1,126	100.0	1,077	100.0	911	105	11.5	882	26	2.9	1,005	50	5.0	3	0.3	1,011	3	0.3
Gender																		
Male	712	62.2	692	64.3	612	78	12.7	601	19	3.2	643	26	4.0	2	0.3	620	3	0.5
Female	414	36.8	385	35.7	299	27	9.0	281	7	2.5	362	24	6.6	1	0.3	365	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	26	0	0.0
Age																		
< 18	45	4.0	40	3.7	28	3	10.7	32	1	3.1	37	1	2.7	0	0.0	47	0	0.0
18-19	80	7.1	77	7.1	60	17	28.3	59	2	3.4	72	1	1.4	0	0.0	91	0	0.0
20-29	546	48.5	524	48.7	452	65	14.4	437	13	3.0	493	16	3.2	2	0.4	466	0	0.0
30-39	269	23.9	259	24.0	223	18	8.1	211	6	2.8	241	16	6.6	1	0.4	216	1	0.5
40-49	124	11.0	117	10.9	96	1	1.0	92	3	3.3	104	8	7.7	0	0.0	110	0	0.0
50-59	49	4.4	48	4.5	41	1	2.4	40	1	2.5	46	5	10.9	0	0.0	45	2	4.4
60-69	8	0.7	8	0.7	8	0	0.0	7	0	0.0	8	2	25.0	0	0.0	13	0	0.0
70+	5	0.4	4	0.4	3	0	0.0	4	0	0.0	4	1	25.0	0	0.0	7	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16	0	0.0
Race/Ethnicity																		
White	159	14.1	148	13.7	133	9	6.8	120	0	0.0	139	2	1.4	1	0.7	--	--	--
African American	154	13.7	151	14.0	131	14	10.7	126	15	11.9	133	4	3.0	0	0.0	--	--	--
Hispanic	758	67.3	726	67.4	605	76	12.6	594	11	1.9	684	40	5.8	2	0.3	--	--	--
Asian	32	2.9	30	2.8	24	5	20.8	22	0	0.0	28	3	10.7	0	0.0	--	--	--
Native American	6	0.5	6	0.6	6	0	0.0	6	0	0.0	5	0	0.0	0	0.0	--	--	--
Other	14	1.2	14	1.3	12	1	8.3	12	0	0.0	14	1	7.1	0	0.0	--	--	--
Unknown	3	0.3	2	0.2	0	0	0.0	2	0	0.0	2	0	0.0	0	0.0	1,011	3	0.3
Marital Status																		
Single	790	70.2	758	70.4	648	80	12.3	630	22	3.5	702	20	2.8	3	0.4	--	--	--
Married	239	21.2	224	20.8	183	17	9.3	179	0	0.0	212	26	12.3	0	0.0	--	--	--
Divorced	38	3.4	38	3.5	31	2	6.5	32	1	3.1	37	1	2.7	0	0.0	--	--	--
Separated	32	2.8	31	2.9	29	2	6.9	25	2	8.0	29	0	0.0	0	0.0	--	--	--
Widowed	1	0.1	1	0.1	1	0	0.0	0	0	0.0	1	0	0.0	0	0.0	--	--	--
Unknown	26	2.3	25	2.3	19	4	21.1	16	1	6.3	24	3	12.5	0	0.0	1,011	3	0.3

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing unlinked to chlamydia, gonorrhea, and syphilis testing

Table 23. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Pomona Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^			
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %					
Total	1,359	100.0	775	100.0	628	116	18.5	740	32	4.3	728	56	7.7	0	0.0	720	5	0.7
Gender																		
Male	851	62.6	480	61.9	390	69	17.7	457	22	4.8	453	31	6.8	0	0.0	438	5	1.1
Female	508	37.4	295	38.1	238	47	19.7	283	10	3.5	275	25	9.1	0	0.0	273	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	0	0.0
Age																		
< 18	42	3.1	28	3.6	24	8	33.3	27	1	3.7	25	0	0.0	0	0.0	40	0	0.0
18-19	89	6.5	61	7.9	55	20	36.4	60	1	1.7	60	0	0.0	0	0.0	65	0	0.0
20-29	625	46.0	368	47.5	292	70	24.0	358	18	5.0	341	7	2.1	0	0.0	264	3	1.1
30-39	285	21.0	165	21.3	137	16	11.7	158	8	5.1	156	13	8.3	0	0.0	136	1	0.7
40-49	209	15.4	102	13.2	83	2	2.4	94	3	3.2	98	21	21.4	0	0.0	96	0	0.0
50-59	68	5.0	31	4.0	27	0	0.0	28	1	3.6	28	7	25.0	0	0.0	43	1	2.3
60-69	25	1.8	12	1.5	6	0	0.0	10	0	0.0	12	4	33.3	0	0.0	36	0	0.0
70+	16	1.2	8	1.0	4	0	0.0	5	0	0.0	8	4	0.0	0	0.0	28	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12	0	0.0
Race/Ethnicity																		
White	174	12.8	90	11.6	75	7	9.3	86	4	4.7	85	6	7.1	0	0.0	--	--	--
African American	313	23.0	192	24.8	156	23	14.7	187	17	9.1	172	7	4.1	0	0.0	--	--	--
Hispanic	746	54.9	424	54.7	338	80	23.7	401	11	2.7	405	40	9.9	0	0.0	--	--	--
Asian	83	6.1	49	6.3	42	4	9.5	47	0	0.0	47	2	4.3	0	0.0	--	--	--
Native American	4	0.3	2	0.3	2	0	0.0	2	0	0.0	2	0	0.0	0	0.0	--	--	--
Other	22	1.6	12	1.5	10	2	20.0	11	0	0.0	12	1	8.3	0	0.0	--	--	--
Unknown	17	1.3	6	0.8	5	0	0.0	6	0	0.0	5	0	0.0	0	0.0	720	5	0.7
Marital Status																		
Single	987	72.6	578	74.6	472	98	20.8	558	28	5.0	539	28	5.2	0	0.0	--	--	--
Married	230	16.9	120	15.5	96	11	11.5	107	2	1.9	116	21	18.1	0	0.0	--	--	--
Divorced	40	3.0	23	3.0	19	2	10.5	22	1	4.5	22	2	9.1	0	0.0	--	--	--
Separated	45	3.3	25	3.2	19	2	10.5	24	0	0.0	24	2	8.3	0	0.0	--	--	--
Widowed	14	1.0	5	0.6	4	1	25.0	5	0	0.0	5	2	40.0	0	0.0	--	--	--
Unknown	43	3.2	24	3.1	18	2	11.1	24	1	4.2	22	1	4.5	0	0.0	720	5	0.7
Type of Visit***																		
New Visit	735	54.1	707	91.2	588	115	19.6	690	29	4.2	697	43	6.2	0	0.0	--	--	--
Return Visit	624	45.9	68	8.8	40	1	2.5	50	3	6.0	31	13	41.9	0	0.0	--	--	--
Unknown	0	0.0	0	0.0	0	--	0.0	0	--	0.0	0	--	0.0	--	0.0	720	5	0.7

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing unlinked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 24. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Pomona Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	628	116	18.5
Gonorrhea	740	32	4.3
Syphilis*	728	36	4.9
Chlamydia and Gonorrhea	624	11	1.8
Chlamydia and Syphilis*	591	0	0.0
Gonorrhea and Syphilis*	694	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	586	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 25. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Pomona Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	735	100.0	707	100.0	588	115	19.6	690	29	4.2	697	29	4.2	0	0.0	720	5	0.7
Gender																		
Male	457	62.2	439	62.1	366	68	18.6	427	19	4.4	431	17	3.9	0	0.0	438	5	1.1
Female	278	37.8	268	37.9	222	47	21.2	263	10	3.8	266	12	4.5	0	0.0	273	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	0	0.0
Age																		
< 18	28	3.8	26	3.7	22	8	36.4	25	1	4.0	25	0	0.0	0	0.0	40	0	0.0
18-19	62	8.5	60	8.5	54	20	37.0	59	1	1.7	60	0	0.0	0	0.0	65	0	0.0
20-29	349	47.5	336	47.5	273	70	25.6	333	17	5.1	329	2	0.6	0	0.0	264	3	1.1
30-39	158	21.5	152	21.5	129	15	11.6	147	6	4.1	151	8	5.3	0	0.0	136	1	0.7
40-49	92	12.5	89	12.6	77	2	2.6	87	3	3.4	88	9	10.2	0	0.0	96	0	0.0
50-59	28	3.8	26	3.7	24	0	0.0	25	1	4.0	26	6	23.1	0	0.0	43	1	2.3
60-69	12	1.6	12	1.7	6	0	0.0	10	0	0.0	12	2	16.7	0	0.0	36	0	0.0
70+	6	0.8	6	0.8	3	0	0.0	4	0	0.0	6	2	0.0	0	0.0	28	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12	0	0.0
Race/Ethnicity																		
White	86	11.7	83	11.7	71	7	9.9	82	4	4.9	81	2	2.5	0	0.0	--	--	--
African American	172	23.4	168	23.8	137	22	16.1	165	14	8.5	164	3	1.8	0	0.0	--	--	--
Hispanic	414	56.3	394	55.7	324	80	24.7	381	11	2.9	390	23	5.9	0	0.0	--	--	--
Asian	44	6.0	44	6.2	40	4	10.0	44	0	0.0	44	1	2.3	0	0.0	--	--	--
Native American	2	0.3	2	0.3	2	0	0.0	2	0	0.0	2	0	0.0	0	0.0	--	--	--
Other	11	1.5	11	1.6	10	2	20.0	11	0	0.0	11	0	0.0	0	0.0	--	--	--
Unknown	6	0.8	5	0.7	4	0	0.0	5	0	0.0	5	0	0.0	0	0.0	720	5	0.7
Marital Status																		
Single	550	74.8	529	74.8	439	97	22.1	517	25	4.8	522	14	2.7	0	0.0	--	--	--
Married	110	15.0	107	15.1	93	11	11.8	102	2	2.0	105	12	11.4	0	0.0	--	--	--
Divorced	22	3.0	22	3.1	19	2	10.5	22	1	4.5	21	0	0.0	0	0.0	--	--	--
Separated	26	3.5	23	3.3	18	2	11.1	23	0	0.0	23	0	0.0	0	0.0	--	--	--
Widowed	5	0.7	5	0.7	4	1	25.0	5	0	0.0	5	2	40.0	0	0.0	--	--	--
Unknown	22	3.0	21	3.0	15	2	13.3	21	1	4.8	21	1	4.8	0	0.0	720	5	0.7

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing unlinked to chlamydia, gonorrhea, and syphilis testing

Table 26. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
South Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^			
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %					
Total	7,509	100.0	4,371	100.0	4,057	600	14.8	3,731	234	6.3	3,971	193	4.9	7	0.2	2,959	26	0.9
Gender																		
Male	4,317	57.5	2,512	57.5	2,340	342	14.6	2,087	168	8.0	2,299	77	3.3	3	0.1	149	5	3.4
Female	3,192	42.5	1,859	42.5	1,717	258	15.0	1,644	66	4.0	1,672	116	6.9	4	0.2	109	1	0.9
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2,701	20	0.7
Age																		
< 18	320	4.3	190	4.3	170	64	37.6	154	11	7.1	174	4	2.3	2	1.1	12	0	0.0
18-19	465	6.2	295	6.8	279	97	34.8	254	31	12.2	269	4	1.5	0	0.0	5	0	0.0
20-29	3,105	41.3	1,855	42.4	1,759	321	18.2	1,623	112	6.9	1,682	21	1.2	0	0.0	33	0	0.0
30-39	1,963	26.1	1,148	26.3	1,050	91	8.7	956	52	5.4	1,036	78	7.5	2	0.2	31	1	3.2
40-49	1,178	15.7	642	14.7	594	20	3.4	555	21	3.8	588	56	9.5	3	0.5	30	3	10.0
50-59	322	4.3	165	3.8	143	5	3.5	131	5	3.8	157	20	12.7	0	0.0	29	0	0.0
60-69	111	1.5	54	1.2	47	2	4.3	43	0	0.0	45	6	13.3	0	0.0	11	0	0.0
70+	45	0.6	22	0.5	15	0	0.0	15	2	13.3	20	4	20.0	0	0.0	12	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2,796	22	0.8
Race/Ethnicity																		
White	101	1.3	59	1.3	46	4	8.7	44	2	4.5	54	3	5.6	0	0.0	--	--	--
African American	4,886	65.1	2,979	68.2	2,799	428	15.3	2,561	211	8.2	2,696	114	4.2	4	0.1	--	--	--
Hispanic	2,396	31.9	1,285	29.4	1,167	163	14.0	1,082	19	1.8	1,177	76	6.5	3	0.3	--	--	--
Asian	27	0.4	14	0.3	14	2	14.3	13	1	7.7	13	0	0.0	0	0.0	--	--	--
Native American	16	0.2	11	0.3	10	1	10.0	10	0	0.0	10	0	0.0	0	0.0	--	--	--
Other	13	0.2	8	0.2	7	2	28.6	8	1	12.5	7	0	0.0	0	0.0	--	--	--
Unknown	70	0.9	15	0.3	14	0	0.0	13	0	0.0	14	0	0.0	0	0.0	2,959	26	0.9
Marital Status																		
Single	5,692	75.8	3400	77.8	3,179	500	15.7	2,914	200	6.9	3,073	132	4.3	5	0.2	--	--	--
Married	856	11.4	458	10.5	416	39	9.4	383	7	1.8	425	35	8.2	1	0.2	--	--	--
Divorced	188	2.5	96	2.2	84	7	8.3	76	3	4.0	92	3	3.3	0	0.0	--	--	--
Separated	190	2.5	100	2.3	91	3	3.3	83	1	1.2	93	8	8.6	0	0.0	--	--	--
Widowed	57	0.8	27	0.6	22	2	9.1	21	2	9.5	25	3	12.0	0	0.0	--	--	--
Unknown	526	7.0	290	6.6	265	49	18.5	254	21	8.3	263	12	4.6	1	0.4	2,959	26	0.9
Type of Visit***																		
New Visit	2,565	34.2	2,413	55.2	2,271	416	18.3	2,084	159	7.6	2,361	102	4.3	6	0.3	--	--	--
Return Visit	4,802	63.9	1,816	41.6	1,673	172	10.3	1,533	70	4.6	1,492	86	5.8	1	0.1	--	--	--
Unknown	142	1.9	142	3.2	113	12	10.6	114	5	4.4	118	5	4.2	0	0.0	2,959	26	0.9

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

[^]HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 27. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
South Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	4,057	600	14.8
Gonorrhea	3,731	234	6.3
Syphilis*	3,971	7	0.6
Chlamydia and Gonorrhea	3,679	65	1.8
Chlamydia and Syphilis*	3,682	1	0.03
Gonorrhea and Syphilis*	3,362	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	3,315	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 28. New Patient Visit and Tests
Public Health Information System (PHIS)
January - December 2002
South Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^				
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%	
Total	2,565	100.0	2,413	100.0	2,271	416	18.3	2,084	159	7.6	2,361	102	4.3	6	0.3	2,959	26	0.9	
Gender																			
Male	1,428	55.7	1,353	56.1	1,273	225	17.7	1,129	110	9.7	1,327	41	3.1	3	0.2	149	5	3.4	
Female	1,137	44.3	1,060	43.9	998	191	19.1	955	49	5.1	1,034	61	5.9	3	0.3	109	1	0.9	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2,701	20	0.7	
Age																			
< 18	144	5.6	137	5.7	123	54	43.9	111	9	8.1	135	2	1.5	1	0.7	12	0	0.0	
18-19	206	8.0	197	8.2	191	72	37.7	176	25	14.2	191	2	1.0	0	0.0	5	0	0.0	
20-29	1,072	41.8	1,017	42.1	974	223	22.9	900	69	7.7	1,001	15	1.5	0	0.0	33	0	0.0	
30-39	648	25.3	617	25.6	572	57	10.0	517	36	7.0	599	40	6.7	2	0.3	31	1	3.2	
40-49	349	13.6	314	13.0	294	7	2.4	272	15	5.5	308	26	8.4	3	1.0	30	3	10.0	
50-59	105	4.1	95	3.9	85	2	2.4	78	4	5.1	92	12	13.0	0	0.0	29	0	0.0	
60-69	30	1.2	26	1.1	24	1	4.2	22	0	0.0	25	4	16.0	0	0.0	11	0	0.0	
70+	11	0.4	10	0.4	8	0	0.0	8	1	12.5	10	1	10.0	0	0.0	12	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2,796	22	0.8	
Race/Ethnicity																			
White	48	1.9	47	2.0	37	3	8.1	34	2	5.9	47	2	4.3	0	0.0	--	--	--	
African American	1,659	64.7	1,577	65.4	1,496	280	18.7	1,360	141	10.4	1,537	59	3.8	4	0.3	--	--	--	
Hispanic	802	31.3	764	31.7	714	128	17.9	667	15	2.2	752	41	5.5	2	0.3	--	--	--	
Asian	9	0.3	8	0.3	8	2	25.0	7	0	0.0	8	0	0.0	0	0.0	--	--	--	
Native American	6	0.2	6	0.2	5	1	20.0	5	0	0.0	6	0	0.0	0	0.0	--	--	--	
Other	6	0.2	6	0.2	6	2	33.3	6	1	16.7	6	0	0.0	0	0.0	--	--	--	
Unknown	35	1.4	5	0.2	5	0	0.0	5	0	0.0	5	0	0.0	0	0.0	2,959	26	0.9	
Marital Status																			
Single	1,908	74.4	1815	75.2	1,714	338	19.7	1,569	132	8.4	1,771	69	3.9	4	0.2	--	--	--	
Married	288	11.2	275	11.4	262	30	11.5	242	6	2.5	272	17	6.3	1	0.4	--	--	--	
Divorced	62	2.4	62	2.6	53	7	13.2	47	3	6.4	61	3	4.9	0	0.0	--	--	--	
Separated	57	2.2	55	2.3	53	3	5.7	46	1	2.2	55	3	5.5	0	0.0	--	--	--	
Widowed	25	1.0	20	0.8	16	1	6.3	15	1	6.7	19	2	10.5	0	0.0	--	--	--	
Unknown	225	8.8	186	7.7	173	37	21.4	165	16	9.7	183	8	4.4	1	0.5	2,959	26	0.9	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 29. Summary Information
Public Health Information System (PHIS)
January - December 2002
Ruth Temple Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV^				
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %						
Total	6,326	100.0	3,708	100.0	3,299	456	13.8	3,618	175	4.8	3,335	67	2.0	3	0.1	2,424	8	0.3	
Gender																			
Male	3,631	57.4	2,112	57.0	1,881	278	14.8	2,062	120	5.8	1,930	40	2.1	1	0.1	1,382	6	0.4	
Female	2,695	42.6	1,596	43.0	1,418	178	12.6	1,556	55	3.5	1,405	27	1.9	2	0.1	1,039	2	0.2	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3	0	0.0	
Age																			
< 18	264	4.2	157	4.2	141	51	36.2	148	14	9.5	140	2	1.4	0	0.0	143	0	0.0	
18-19	457	7.2	273	7.4	239	63	26.4	269	21	7.8	245	1	0.4	0	0.0	209	1	0.5	
20-29	2,532	40.0	1,497	40.4	1,340	228	17.0	1,466	86	5.9	1,342	9	0.7	0	0.0	974	2	0.2	
30-39	1,472	23.3	878	23.7	784	85	10.8	858	29	3.4	780	14	1.8	2	0.3	526	1	0.2	
40-49	1,093	17.3	633	17.1	558	25	4.5	622	20	3.2	576	29	5.0	1	0.2	380	3	0.8	
50-59	379	6.0	204	5.5	179	1	0.6	193	5	2.6	190	7	3.7	0	0.0	137	1	0.7	
60-69	99	1.5	53	1.4	45	1	2.2	51	0	0.0	49	3	6.1	0	0.0	32	0	0.0	
70+	30	0.5	13	0.3	13	2	15.4	11	0	0.0	13	2	15.4	0	0.0	12	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11	0	0.0	
Race/Ethnicity																			
White	100	1.6	58	1.6	52	7	13.5	58	1	1.7	57	1	1.8	0	0.0	--	--	--	
African American	4,686	74.1	2,828	76.3	2,509	357	14.2	2,760	159	5.8	2,510	40	1.6	3	0.1	--	--	--	
Hispanic	1,375	21.7	732	19.7	657	80	12.2	712	11	1.5	687	25	3.6	0	0.0	--	--	--	
Asian	82	1.3	43	1.2	37	9	24.3	43	2	4.6	40	1	2.5	0	0.0	--	--	--	
Native American	13	0.2	8	0.2	8	0	0.0	8	0	0.0	6	0	0.0	0	0.0	--	--	--	
Other	68	1.1	38	1.0	35	3	8.6	36	2	5.6	34	0	0.0	0	0.0	--	--	--	
Unknown	2	0.03	1	0.03	1	0	0.0	1	0	0.0	1	0	0.0	0	0.0	2,424	8	0.3	
Marital Status																			
Single	5,175	81.8	3,069	82.8	2,726	408	15.0	2,997	163	5.4	2,752	44	1.6	2	0.1	--	--	--	
Married	567	9.0	307	8.3	277	18	6.5	301	9	3.0	288	12	4.2	1	0.3	--	--	--	
Divorced	225	3.6	130	3.5	112	7	6.2	125	3	2.4	119	3	2.5	0	0.0	--	--	--	
Separated	208	3.3	120	3.2	112	15	13.4	116	0	0.0	107	6	5.6	0	0.0	--	--	--	
Widowed	54	0.8	30	0.8	28	1	3.6	30	0	0.0	24	1	4.2	0	0.0	--	--	--	
Unknown	97	1.5	52	1.4	44	7	15.9	49	0	0.0	45	1	2.2	0	0.0	2,424	8	0.3	
Type of Visit***																			
New Visit	3,626	57.3	3,551	95.8	3,181	444	14.0	3,476	171	4.9	3,298	66	2.0	3	0.1	--	--	--	
Return Visit	2,666	42.1	123	3.3	89	9	10.1	108	1	0.9	13	0	0.0	0	0.0	--	--	--	
Unknown	34	0.5	34	0.9	29	3	10.3	34	3	8.8	24	1	4.2	0	0.0	2,424	8	0.3	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

[^]HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 30. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Ruth Temple Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	3,299	456	13.8
Gonorrhea	3,618	175	4.8
Syphilis*	3,335	3	0.4
Chlamydia and Gonorrhea	3,238	53	1.6
Chlamydia and Syphilis*	2,979	0	0.0
Gonorrhea and Syphilis*	3,259	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	2,930	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 31. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Ruth Temple Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	3,626	100.0	3,551	100.0	3,181	444	14.0	3,476	171	4.9	3,298	66	2.0	3	0.1	2,424	8	0.3
Gender																		
Male	2,076	57.3	2,034	57.3	1,825	271	14.8	1,993	119	6.0	1,906	39	2.0	1	0.1	1,382	6	0.4
Female	1,550	42.7	1,517	42.7	1,356	173	12.8	1,483	52	3.5	1,392	27	1.9	2	0.1	1,039	2	0.2
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3	0	0.0
Age																		
< 18	144	4.0	144	4.1	130	47	36.2	136	12	8.8	137	2	1.5	0	0.0	143	0	0.0
18-19	263	7.3	260	7.3	226	61	27.0	256	20	7.8	243	1	0.4	0	0.0	209	1	0.5
20-29	1,472	40.6	1,438	40.5	1,296	224	17.3	1,410	86	6.1	1,333	8	0.6	0	0.0	974	2	0.2
30-39	853	23.5	840	23.6	760	83	10.9	827	29	3.5	767	14	1.8	2	0.3	526	1	0.2
40-49	618	17.0	607	17.1	536	25	4.7	598	19	3.2	568	29	5.1	1	0.2	380	3	0.8
50-59	211	5.8	198	5.6	176	1	0.6	188	5	2.7	188	7	3.7	0	0.0	137	1	0.7
60-69	52	1.4	51	1.4	44	1	2.3	50	0	0.0	49	3	6.1	0	0.0	32	0	0.0
70+	13	0.4	13	0.4	13	2	15.4	11	0	0.0	13	2	15.4	0	0.0	12	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11	0	0.0
Race/Ethnicity																		
White	59	1.6	58	1.6	52	7	13.5	58	1	1.7	57	1	1.8	0	0.0	--	--	--
African American	2,753	75.9	2,700	76.0	2,412	346	14.3	2,641	155	5.9	2,483	40	1.6	3	0.1	--	--	--
Hispanic	728	20.1	711	20.0	643	79	12.3	696	11	1.6	679	24	3.5	0	0.0	--	--	--
Asian	43	1.2	41	1.2	35	9	25.7	41	2	4.9	40	1	2.5	0	0.0	--	--	--
Native American	6	0.2	6	0.2	6	0	0.0	6	0	0.0	6	0	0.0	0	0.0	--	--	--
Other	36	1.0	34	1.0	32	3	9.4	33	2	6.1	32	0	0.0	0	0.0	--	--	--
Unknown	1	0.0	1	0.0	1	0	0.0	1	0	0.0	1	0	0.0	0	0.0	2,424	8	0.3
Marital Status																		
Single	2,992	82.5	2,937	82.7	2,629	396	15.1	2,879	159	5.5	2,722	44	1.6	2	0.1	--	--	--
Married	309	8.5	300	8.5	270	18	6.7	294	9	3.1	285	11	3.9	1	0.4	--	--	--
Divorced	126	3.5	122	3.4	108	7	6.5	118	3	2.5	118	3	2.5	0	0.0	--	--	--
Separated	117	3.2	114	3.2	106	15	14.2	110	0	0.0	106	6	5.7	0	0.0	--	--	--
Widowed	29	0.8	28	0.8	26	1	3.8	28	0	0.0	24	1	4.2	0	0.0	--	--	--
Unknown	53	1.5	50	1.4	42	7	16.7	47	0	0.0	43	1	2.3	0	0.0	2,424	8	0.3

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 32. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Torrance Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing		
	Total STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis			Positive Tests**	n	%	HIV^
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%				No. Tests
Total	1,829	100.0	1,000	100.0	819	101	12.3	866	23	2.7	941	36	3.8	2	0.2		860
Gender																	
Male	1,214	66.4	674	67.4	574	73	12.7	603	19	3.2	639	25	3.9	2	0.3		517
Female	615	33.6	326	32.6	245	28	11.4	263	4	1.5	302	11	3.6	0	0.0		290
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		53
Age																	
< 18	51	2.8	27	2.7	21	8	38.1	23	1	4.3	27	0	0.0	0	0.0		40
18-19	125	6.8	70	7.0	55	19	34.5	57	2	3.5	65	0	0.0	0	0.0		75
20-29	920	50.3	528	52.8	441	62	14.1	466	14	3.0	492	6	1.2	1	0.2		391
30-39	391	21.4	215	21.5	182	9	4.9	192	4	2.1	205	11	5.4	0	0.0		164
40-49	234	12.8	114	11.4	89	2	2.2	95	2	2.1	109	12	11.0	1	0.9		100
50-59	78	4.2	35	3.5	24	1	4.2	26	0	0.0	32	6	18.8	0	0.0		39
60-69	18	1.0	7	0.7	6	0	0.0	6	0	0.0	7	0	0.0	0	0.0		16
70+	12	0.7	4	0.4	1	0	0.0	1	0	0.0	4	1	0.0	0	0.0		11
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		24
Race/Ethnicity																	
White	450	24.6	231	23.1	184	14	7.6	202	0	0.0	221	1	0.5	0	0.0	--	--
African American	478	26.1	304	30.4	258	45	17.4	262	18	6.9	284	7	2.5	0	0.0	--	--
Hispanic	639	35.0	330	33.0	263	25	9.5	282	4	1.4	309	26	8.4	2	0.6	--	--
Asian	198	10.8	103	10.3	87	12	13.8	88	1	1.1	97	2	2.1	0	0.0	--	--
Native American	2	0.1	1	0.1	1	0	0.0	1	0	0.0	1	0	0.0	0	0.0	--	--
Other	47	2.6	26	2.6	22	4	18.2	26	0	0.0	24	0	0.0	0	0.0	--	--
Unknown	15	0.8	5	0.5	4	1	25.0	5	0	0.0	5	0	0.0	0	0.0	860	6
Marital Status																	
Single	1,392	76.1	774	77.4	645	87	13.5	676	20	3.0	726	18	2.5	2	0.3	--	--
Married	170	9.3	85	8.5	62	4	6.5	71	0	0.0	80	12	15.0	0	0.0	--	--
Divorced	99	5.4	49	4.9	40	1	2.5	40	0	0.0	47	3	6.4	0	0.0	--	--
Separated	44	2.4	23	2.3	16	3	18.8	21	1	4.8	20	1	5.0	0	0.0	--	--
Widowed	18	1.0	9	0.9	6	0	0.0	5	0	0.0	8	1	12.5	0	0.0	--	--
Unknown	106	5.8	60	6.0	50	6	12.0	53	2	3.8	60	1	1.7	0	0.0	860	6
Type of Visit***																	
New Visit	1,004	54.9	865	86.5	712	94	13.2	757	21	2.8	845	24	2.8	2	0.2	--	--
Return Visit	764	41.8	74	7.4	59	3	5.1	56	1	1.8	41	6	14.6	0	0.0	--	--
Unknown	61	3.3	61	6.1	48	4	8.3	53	1	1.9	55	6	10.9	0	0.0	860	6

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 33. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Torrance Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	819	101	12.3
Gonorrhea	866	23	2.7
Syphilis*	941	2	0.2
Chlamydia and Gonorrhea	774	7	0.9
Chlamydia and Syphilis*	769	0	0.0
Gonorrhea and Syphilis*	815	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	731	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 34. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Torrance Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis					HIV^		
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%
Total	1,004	100.0	865	100.0	712	94	13.2	757	21	2.8	845	24	2.8	2	0.2	860	6	0.7
Gender																		
Male	660	65.7	580	67.1	501	67	13.4	530	17	3.2	567	16	2.8	2	0.4	517	6	1.2
Female	344	34.3	285	32.9	211	27	12.8	227	4	1.8	278	8	2.9	0	0.0	290	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	53	0	0.0
Age																		
< 18	33	3.3	27	3.1	21	8	38.1	23	1	4.3	27	0	0.0	0	0.0	40	0	0.0
18-19	76	7.6	64	7.4	50	19	38.0	54	2	3.7	61	0	0.0	0	0.0	75	0	0.0
20-29	511	50.9	458	52.9	383	55	14.4	403	13	3.2	447	4	0.9	1	0.2	391	4	1.0
30-39	217	21.6	185	21.4	157	9	5.7	168	3	1.8	182	7	3.8	0	0.0	164	1	0.6
40-49	118	11.7	95	11.0	77	2	2.6	83	2	2.4	92	8	8.7	1	1.1	100	0	0.0
50-59	35	3.5	25	2.9	17	1	5.9	19	0	0.0	25	4	16.0	0	0.0	39	1	2.6
60-69	9	0.9	7	0.8	6	0	0.0	6	0	0.0	7	0	0.0	0	0.0	16	0	0.0
70+	5	0.5	4	0.5	1	0	0.0	1	0	0.0	4	1	0.0	0	0.0	11	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	24	0	0.0
Race/Ethnicity																		
White	238	23.7	209	24.2	167	14	8.4	185	0	0.0	204	1	0.5	0	0.0	--	--	--
African American	283	28.2	257	29.7	216	40	18.5	222	16	7.2	249	5	2.0	0	0.0	--	--	--
Hispanic	338	33.7	277	32.0	225	23	10.2	242	4	1.7	270	16	5.9	2	0.7	--	--	--
Asian	107	10.6	93	10.7	79	12	15.2	79	1	1.3	93	2	2.2	0	0.0	--	--	--
Native American	1	0.1	1	0.1	1	0	0.0	1	0	0.0	1	0	0.0	0	0.0	--	--	--
Other	27	2.7	24	2.8	21	4	19.0	24	0	0.0	24	0	0.0	0	0.0	--	--	--
Unknown	10	1.0	4	0.5	3	1	33.3	4	0	0.0	4	0	0.0	0	0.0	860	6	0.7
Marital Status																		
Single	779	77.6	680	78.6	572	83	14.5	599	19	3.2	661	14	2.1	2	0.3	--	--	--
Married	82	8.1	65	7.5	47	3	6.4	55	0	0.0	65	7	10.8	0	0.0	--	--	--
Divorced	48	4.8	42	4.9	35	1	2.9	36	0	0.0	42	0	0.0	0	0.0	--	--	--
Separated	25	2.5	19	2.2	12	2	16.7	18	0	0.0	18	1	5.6	0	0.0	--	--	--
Widowed	8	0.8	6	0.7	3	0	0.0	3	0	0.0	6	1	16.7	0	0.0	--	--	--
Unknown	62	6.2	53	6.1	43	5	11.6	46	2	4.3	53	1	1.9	0	0.0	860	6	0.7

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 35. Summary Information
Public Health Information System (PHIS)
January - December 2002
Curtis Tucker Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing													HIV Testing		
	Total STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis			Positive Tests**		HIV^		
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	n	%	No. Tests	Positive Tests n	%
Total	5,758	100.0	3,483	100.0	2,819	348	12.3	3,077	165	5.4	3,261	118	3.6	10	0.3	2,579	14	0.5
Gender																		
Male	3,597	62.5	2,154	61.8	1,750	230	13.1	1,931	125	6.5	2,025	64	3.2	9	0.4	1,511	9	0.6
Female	2,161	37.5	1,329	38.2	1,069	118	11.0	1,146	40	3.5	1,236	54	4.4	1	0.1	1,035	5	0.5
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	33	0	0.0
Age																		
< 18	142	2.5	87	2.5	62	20	32.3	68	9	13.2	80	0	0.0	0	0.0	92	0	0.0
18-19	284	4.9	182	5.2	127	43	33.9	146	11	7.5	172	2	1.2	0	0.0	168	0	0.0
20-29	2,511	43.6	1,522	43.7	1,232	223	18.1	1,350	97	7.2	1,429	21	1.5	4	0.3	1,089	6	0.6
30-39	1,597	27.7	978	28.1	805	50	6.2	888	38	4.3	909	34	3.7	2	0.2	667	6	0.9
40-49	890	15.5	528	15.2	451	7	1.6	468	8	1.7	497	42	8.5	2	0.4	347	1	0.3
50-59	273	4.7	151	4.3	119	5	4.2	130	1	0.8	141	17	12.1	2	1.4	112	1	0.9
60-69	49	0.9	28	0.8	17	0	0.0	21	1	4.8	26	2	7.7	0	0.0	40	0	0.0
70+	12	0.2	7	0.2	6	0	0.0	6	0	0.0	7	0	0.0	0	0.0	19	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	45	0	0.0
Race/Ethnicity																		
White	335	5.8	182	5.2	140	17	12.1	157	2	1.3	173	4	2.3	1	0.6	--	--	--
African American	4,036	70.1	2,529	72.6	2,075	255	12.3	2,248	154	6.8	2,353	75	3.2	6	0.3	--	--	--
Hispanic	1,199	20.8	660	19.0	510	59	11.6	574	5	0.9	631	33	5.2	3	0.5	--	--	--
Asian	100	1.8	57	1.6	46	8	17.4	47	1	2.1	54	5	9.3	0	0.0	--	--	--
Native American	11	0.2	7	0.2	7	0	0.0	6	1	16.7	7	1	14.3	0	0.0	--	--	--
Other	53	0.9	34	1.0	29	6	20.7	32	2	6.2	29	0	0.0	0	0.0	--	--	--
Unknown	24	0.4	14	0.4	12	3	25.0	13	0	0.0	14	0	0.0	0	0.0	2,579	14	0.5
Marital Status																		
Single	4,651	80.8	2,840	81.6	2,282	297	13.0	2,509	146	5.8	2,648	81	3.1	6	0.2	--	--	--
Married	526	9.1	301	8.6	247	16	6.5	255	3	1.2	291	16	5.5	2	0.7	--	--	--
Divorced	190	3.3	109	3.1	95	6	6.3	101	4	4.0	102	8	7.8	0	0.0	--	--	--
Separated	133	2.3	82	2.4	65	3	4.6	74	2	2.7	77	5	6.5	0	0.0	--	--	--
Widowed	12	0.2	7	0.2	6	1	16.7	6	0	0.0	7	2	28.6	2	28.6	--	--	--
Unknown	246	4.3	144	4.1	124	25	20.2	132	10	7.6	136	6	4.4	0	0.0	2,579	14	0.5
Type of Visit***																		
New Visit	3,380	58.7	3,219	92.4	2,651	330	12.4	2,865	151	5.3	3,067	106	3.5	9	0.3	--	--	--
Return Visit	2,240	38.9	126	3.6	72	4	5.6	88	4	4.6	69	10	14.5	1	1.4	--	--	--
Unknown	138	2.4	138	4.0	96	14	14.6	124	10	8.1	125	2	1.6	0	0.0	2,579	14	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 36. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Curtis Tucker Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	2,819	348	12.3
Gonorrhea	3,077	165	5.4
Syphilis*	3,261	10	0.3
Chlamydia and Gonorrhea	2,611	41	1.6
Chlamydia and Syphilis*	2,637	0	0.0
Gonorrhea and Syphilis*	2,865	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	2,439	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

Table 37. Summary Information
Public Health Information System (PHIS)
January - December 2002
Curtis Tucker Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing												HIV Testing			
	Total STD Visits n %		No. Patients Tested n %		Chlamydia			Gonorrhea			Syphilis				HIV			
					No. Tests	Positive Tests n %	No. Tests	Positive Tests n %	No. Tests	Positive Tests* n %	Positive Tests** n %	No. Tests	Positive Tests n %					
Total	3,380	100.0	3,219	100.0	2,651	330	12.4	2,865	151	5.3	3,067	106	3.5	9	0.3	2,579	14	0.5
Gender																		
Male	2,075	61.4	1,983	61.6	1,641	216	13.2	1,793	115	6.4	1,902	56	2.9	8	0.4	1,511	9	0.6
Female	1,305	38.6	1,236	38.4	1,010	114	11.3	1,072	36	3.4	1,165	50	4.3	1	0.1	1,035	5	0.5
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	33	0	0.0
Age																		
< 18	89	2.6	83	2.6	60	20	33.3	64	8	12.5	78	0	0.0	0	0.0	92	0	0.0
18-19	175	5.2	166	5.2	120	42	35.0	134	8	6.0	162	2	1.2	0	0.0	168	0	0.0
20-29	1,472	43.5	1,402	43.5	1,152	208	18.1	1,251	89	7.1	1,339	15	1.1	3	0.2	1,089	6	0.6
30-39	949	28.1	909	28.2	764	49	6.4	834	36	4.3	859	31	3.6	2	0.2	667	6	0.9
40-49	520	15.4	494	15.3	424	6	1.4	439	8	1.8	471	42	8.9	2	0.4	347	1	0.3
50-59	142	4.2	134	4.2	110	5	4.5	119	1	0.8	128	14	10.9	2	1.6	112	1	0.9
60-69	26	0.8	25	0.8	16	0	0.0	19	1	5.3	24	2	8.3	0	0.0	40	0	0.0
70+	7	0.2	6	0.2	5	0	0.0	5	0	0.0	6	0	0.0	0	0.0	19	0	0.0
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	45	0	0.0
Race/Ethnicity																		
White	179	5.3	169	5.3	132	16	12.1	148	2	1.4	164	2	1.2	1	0.6	--	--	--
African American	2,448	72.4	2,337	72.6	1,952	246	12.6	2,087	141	6.8	2,216	72	3.2	5	0.2	--	--	--
Hispanic	645	19.1	612	19.0	481	56	11.6	541	5	0.9	593	28	4.7	3	0.5	--	--	--
Asian	53	1.6	50	1.6	41	5	12.2	42	0	0.0	47	3	6.4	0	0.0	--	--	--
Native American	7	0.2	7	0.2	7	0	0.0	6	1	16.7	7	1	14.3	0	0.0	--	--	--
Other	33	1.0	30	0.4	26	4	15.4	28	2	7.1	26	0	0.0	0	0.0	--	--	--
Unknown	15	0.4	14	0.9	12	3	25.0	13	0	0.0	14	0	0.0	0	0.0	2,579	14	0.5
Marital Status																		
Single	2,749	81.3	2,623	81.5	2,144	283	13.2	2,333	133	5.7	2,494	73	2.9	5	0.2	--	--	--
Married	289	8.5	271	8.4	229	13	5.7	233	2	0.9	264	14	5.3	2	0.8	--	--	--
Divorced	107	3.2	102	3.2	90	6	6.7	96	4	4.2	96	6	6.3	0	0.0	--	--	--
Separated	83	2.5	79	2.4	63	3	4.8	71	2	2.8	75	5	6.7	0	0.0	--	--	--
Widowed	7	0.2	7	0.2	6	1	16.7	6	0	0.0	7	2	28.6	0	0.0	--	--	--
Unknown	145	4.3	137	4.3	119	24	20.2	126	10	7.9	131	6	4.6	2	1.5	2,579	14	0.5

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 38. Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Whittier Health Center

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis			Positive Tests**		HIV^			
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	n	%	No. Tests	Positive Tests n	%	
Total	3,797	100.0	2,059	100.0	1,735	203	11.7	1,968	39	2.0	1,897	45	2.4	1	0.05	1,762	9	0.5	
Gender																			
Male	2,504	66.0	1,334	64.8	1,142	133	11.6	1,286	28	2.2	1,238	25	2.0	1	0.08	22	0	0.0	
Female	1,293	34.0	725	35.2	593	70	11.8	682	11	1.6	659	20	3.0	0	0.0	13	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1,727	9	0.5	
Age																			
< 18	136	3.6	75	3.6	58	15	25.9	74	1	1.4	67	0	0.0	0	0.0	0	0	0.0	
18-19	318	8.4	177	8.6	152	27	17.8	170	2	1.2	162	1	0.6	0	0.0	2	0	0.0	
20-29	1,874	49.3	1,030	50.0	884	120	13.6	1,001	24	2.4	954	3	0.3	0	0.0	10	0	0.0	
30-39	794	20.9	444	21.6	379	36	9.5	424	9	2.1	406	8	2.0	0	0.0	1	0	0.0	
40-49	446	11.8	227	11.0	187	4	2.1	210	2	1.0	207	16	7.7	1	0.5	4	0	0.0	
50-59	142	3.7	70	3.4	50	1	2.0	61	1	1.6	68	8	11.8	0	0.0	1	0	0.0	
60-69	63	1.7	24	1.2	20	0	0.0	22	0	0.0	22	4	18.2	0	0.0	0	0	0.0	
70+	24	0.6	12	0.6	5	0	0.0	6	0	0.0	11	5	45.5	0	0.0	0	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1,744	9	0.5	
Race/Ethnicity																			
White	625	16.5	327	15.9	276	23	8.3	319	7	2.2	293	2	0.7	0	0.0	--	--	--	
African American	166	4.4	103	5.0	93	18	19.4	97	6	6.2	91	4	4.4	0	0.0	--	--	--	
Hispanic	2,698	71.1	1,474	71.6	1,240	154	12.4	1,409	25	1.8	1,365	31	2.3	0	0.0	--	--	--	
Asian	222	5.8	113	5.5	94	7	7.4	105	0	0.0	107	5	4.7	0	0.0	--	--	--	
Native American	15	0.4	8	0.4	7	0	0.0	8	1	12.5	8	0	0.0	0	0.0	--	--	--	
Other	59	1.5	33	1.6	24	0	0.0	29	0	0.0	32	3	9.4	1	3.1	--	--	--	
Unknown	12	0.3	1	0.05	1	1	100.0	1	0	0.0	1	0	0.0	0	0.0	1,762	9	0.5	
Marital Status																			
Single	2,821	74.3	1,555	75.5	1,321	170	12.9	1,496	34	2.3	1,431	22	1.5	1	0.07	--	--	--	
Married	484	12.8	268	13.0	222	17	7.7	248	4	1.6	245	15	6.1	0	0.0	--	--	--	
Divorced	232	6.1	100	4.9	79	2	2.5	93	1	1.1	96	2	2.1	0	0.0	--	--	--	
Separated	107	2.8	60	2.9	47	8	17.0	57	0	0.0	55	0	0.0	0	0.0	--	--	--	
Widowed	13	0.3	7	0.3	7	0	0.0	7	0	0.0	6	1	16.7	0	0.0	--	--	--	
Unknown	140	3.7	69	3.4	59	6	10.2	67	0	0.0	64	5	7.8	0	0.0	1,762	9	0.5	
Type of Visit***																			
New Visit	2,121	55.9	1,896	92.1	1,628	190	11.7	1,833	36	2.0	1,804	36	2	0	0.0	--	--	--	
Return Visit	1,643	43.3	130	6.3	77	9	11.7	103	1	1.0	66	9	13.6	1	1.5	--	--	--	
Unknown	33	0.9	33	1.6	30	4	13.3	32	2	6.2	27	0	0.0	0	0.0	1,762	9	0.5	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

***Return visit defined as a visit within 30 days of a New visit

Table 39. Chlamydia, Gonorrhea, and Early Syphilis Comorbidity
Public Health Information System (PHIS)
January - December 2002
Whittier Health Center

Comorbidity	No. Tested	Positive Tests	
		n	%
Chlamydia	1,735	203	11.7
Gonorrhea	1,968	39	2.0
Syphilis*	1,897	1	0.05
Chlamydia and Gonorrhea	1,703	7	0.4
Chlamydia and Syphilis*	1,622	0	0.0
Gonorrhea and Syphilis*	1,813	0	0.0
Chlamydia, Gonorrhea, and Syphilis*	1,593	0	0.0

*Syphilis results based on positive confirmatory test and field investigation by public health investigator; includes primary, secondary, and early latent cases

**Table 40. New Patient Visits and Tests
Public Health Information System (PHIS)
January - December 2002
Whittier Health Center**

			Chlamydia, Gonorrhea, and Syphilis Testing														HIV Testing		
	Total New STD Visits		No. Patients Tested		Chlamydia			Gonorrhea			Syphilis				HIV^				
	n	%	n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests n	%	No. Tests	Positive Tests* n	%	Positive Tests** n	%	No. Tests	Positive Tests n	%	
Total	2,121	100.0	1,896	100.0	1,628	190	11.7	1,833	36	2.0	1,804	36	2.0	0	0.0	1,762	9	0.5	
Gender																			
Male	1,381	65.1	1,225	64.6	1,061	124	11.7	1,191	26	2.2	1,180	23	1.9	0	0.0	22	0	0.0	
Female	740	34.9	671	35.4	567	66	11.6	642	10	1.6	624	13	2.1	0	0.0	13	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1,727	9	0.5	
Age																			
< 18	82	3.9	72	3.8	57	15	26.3	71	1	1.4	66	0	0.0	0	0.0	0	0	0.0	
18-19	183	8.6	166	8.8	145	24	16.6	159	2	1.3	156	1	0.6	0	0.0	2	0	0.0	
20-29	1,049	49.5	950	50.1	823	113	13.7	930	22	2.4	910	3	0.3	0	0.0	10	0	0.0	
30-39	458	21.6	410	21.6	355	35	9.9	395	8	2.0	389	7	1.8	0	0.0	1	0	0.0	
40-49	239	11.3	207	10.9	177	2	1.1	195	2	1.0	194	13	6.7	0	0.0	4	0	0.0	
50-59	73	3.4	62	3.3	49	1	2.0	59	1	1.7	61	5	8.2	0	0.0	1	0	0.0	
60-69	28	1.3	21	1.1	18	0	0.0	20	0	0.0	20	4	20.0	0	0.0	0	0	0.0	
70+	9	0.4	8	0.4	4	0	0.0	4	0	0.0	8	3	37.5	0	0.0	0	0	0.0	
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1,744	9	0.5	
Race/Ethnicity																			
White	349	16.5	306	16.1	265	22	8.3	301	6	2.0	284	2	0.7	0	0.0	--	--	--	
African American	107	5.0	97	5.1	89	17	19.1	91	5	5.5	88	4	4.5	0	0.0	--	--	--	
Hispanic	1,509	71.1	1,353	71.4	1,156	143	12.4	1,307	24	1.8	1,294	25	1.9	0	0.0	--	--	--	
Asian	112	5.3	102	5.4	87	7	8.0	98	0	0.0	100	3	3.0	0	0.0	--	--	--	
Native American	9	0.4	8	0.4	7	0	0.0	8	1	12.5	8	0	0.0	0	0.0	--	--	--	
Other	31	1.5	29	1.5	23	0	0.0	27	0	0.0	29	2	6.9	0	0.0	--	--	--	
Unknown	4	0.2	1	0.1	1	1	100.0	1	0	0.0	1	0	0.0	0	0.0	1,762	9	0.5	
Marital Status																			
Single	1,592	75.1	1,428	75.3	1,235	158	12.8	1,389	31	2.2	1,357	16	1.2	0	0.0	--	--	--	
Married	268	12.6	245	12.9	209	17	8.1	229	4	1.7	233	13	5.6	0	0.0	--	--	--	
Divorced	114	5.4	93	4.9	74	8	10.8	88	1	1.1	92	2	2.2	0	0.0	--	--	--	
Separated	62	2.9	56	3.0	46	1	2.2	55	0	0.0	53	0	0.0	0	0.0	--	--	--	
Widowed	8	0.4	6	0.3	6	0	0.0	6	0	0.0	6	1	16.7	0	0.0	--	--	--	
Unknown	77	3.6	68	3.6	58	6	10.3	66	0	0.0	63	4	6.3	0	0.0	1,762	9	0.5	

*Based on screening plus confirmatory test; Definitive diagnosis made by PH Investigator (PHI)

**Casewatch confirmed cases of early syphilis; excludes cases pending review by PHI

^HIV testing not linked with chlamydia, gonorrhea, and syphilis testing

Table 41. Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios[#]
Public Health Information System, by Health Center and Race/Ethnicity
January - December 2002

	Chlamydia, Gonorrhea, and Syphilis Testing									HIV Testing		
	<u>Chlamydia</u>			<u>Gonorrhea</u>			<u>Early Syphilis</u> *			<u>HIV**</u>		
	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^
All Health Centers												
White	121	48	2.5	76	9	8.4	16	1	16.0	--	--	--
African American	821	438	1.9	501	167	3.0	13	5	2.6	--	--	--
Hispanic	619	409	1.5	109	39	2.8	23	3	7.7	--	--	--
Asian	56	51	1.1	9	8	1.1	0	0	1.0	--	--	--
Native American	1	3	0.3	2	0	4.0	0	0	1.0	--	--	--
Other	30	14	2.1	7	3	2.3	1	0	2.0	--	--	--
Unknown	10	1	10.0	1	0	1.0	0	0	1.0	--	--	--
Total	1658	964	1.7	705	226	3.1	53	9	5.9	79	15	5.3
Y. Burke Health Center												
White	5	2	2.5	3	0	6.0	1	0	2.0	--	--	--
African American	1	0	2.0	1	0	2.0	0	0	0.0	--	--	--
Hispanic	0	0	1.0	0	1	0.0	2	0	4.0	--	--	--
Asian	1	1	1.0	0	1	0.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Unknown	1	0	2.0	1	0	2.0	0	0	1.0	--	--	--
Total	8	3	2.7	5	2	2.5	3	0	6.0	2	0	4.0
Central Health Center												
White	9	1	9.0	4	1	4.0	1	0	2.0	--	--	--
African American	26	9	2.9	29	7	4.1	3	0	6.0	--	--	--
Hispanic	95	68	1.4	24	2	12.0	9	0	18.0	--	--	--
Asian	10	11	0.9	6	0	12.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	10	4	2.5	0	1	0.0	0	0	1.0	--	--	--
Unknown	3	0	6.0	0	0	1.0	0	0	1.0	--	--	--
Total	153	93	1.6	63	11	5.7	13	0	26.0	15	1	15.0

[#]Not adjusted for the proportion of males and females tested

*Casewatch confirmed cases of early syphilis

^Continuity correction factor of 0.5 added for cases where denominator equals zero and numerator is non-zero

**HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 41. Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios[#]
Public Health Information System, by Health Center and Race/Ethnicity
January - December 2002

	Chlamydia, Gonorrhea, and Syphilis Testing									HIV Testing		
	<u>Chlamydia</u>			<u>Gonorrhea</u>			<u>Early Syphilis</u> *			<u>HIV**</u>		
	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^
Curtis Tucker Health Center												
White	9	8	1.1	2	0	4.0	1	0	2.0	--	--	--
African American	175	80	2.2	119	35	3.4	6	0	12.0	--	--	--
Hispanic	36	23	1.6	2	3	0.7	2	1	2.0	--	--	--
Asian	4	4	1.0	0	1	0.0	0	0	1.0	--	--	--
Native American	0	0	1.0	1	0	2.0	0	0	1.0	--	--	--
Other	3	3	1.0	1	1	1.0	0	0	1.0	--	--	--
Unknown	3	0	6.0	0	0	1.0	0	0	1.0	--	--	--
Total	224	115	1.9	124	39	3.2	9	1	9.0	9	5	1.8
Glendale Health Center												
White	17	2	8.5	20	1	20.0	0	0	1.0	--	--	--
African American	15	9	1.7	6	5	1.2	1	0	2.0	--	--	--
Hispanic	24	9	2.7	9	2	4.5	0	0	1.0	--	--	--
Asian	7	3	2.3	0	1	0.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	2	1	1.0	1	0	2.0	0	0	1.0	--	--	--
Unknown	0	1	0.0	0	0	1.0	0	0	1.0	--	--	--
Total	65	25	2.6	36	9	4.0	1	0	2.0	7	1	7.0
Hollywood-Wilshire Health Center												
White	34	5	6.8	33	0	66.0	12	0	24.0	--	--	--
African American	27	10	2.7	33	2	16.5	1	0	2.0	--	--	--
Hispanic	44	24	1.8	12	0	24.0	4	0	8.0	--	--	--
Asian	3	7	0.4	2	2	1.0	0	0	1.0	--	--	--
Native American	0	1	0.0	0	0	1.0	0	0	1.0	--	--	--
Other	2	3	0.7	2	0	4.0	0	0	1.0	--	--	--
Unknown	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Total	110	50	2.2	82	4	20.5	17	0	34.0	18	3	6.0

*Not adjusted for the proportion of males and females tested

*Casewatch confirmed cases of early syphilis

^Continuity correction factor of 0.5 added for cases where denominator equals zero and numerator is non-zero

**HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 41. Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios[#]
Public Health Information System, by Health Center and Race/Ethnicity
January - December 2002

	Chlamydia, Gonorrhea, and Syphilis Testing									HIV Testing		
	<u>Chlamydia</u>			<u>Gonorrhea</u>			<u>Early Syphilis *</u>			<u>HIV**</u>		
	Male	Female	M:F [^]	Male	Female	M:F [^]	Male	Female	M:F [^]	Male	Female	M:F [^]
Monrovia Health Center												
White	9	4	2.3	4	2	2.0	0	1	0.0	--	--	--
African American	15	6	2.5	2	3	0.7	0	0	1.0	--	--	--
Hispanic	77	45	1.7	9	2	4.5	1	0	2.0	--	--	--
Asian	10	6	1.7	0	0	1.0	0	0	1.0	--	--	--
Native American	1	1	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	3	1	3.0	1	0	2.0	0	0	1.0	--	--	--
Unknown	1	0	2.0	0	0	1.0	0	0	1.0	--	--	--
Total	116	63	1.8	16	7	2.3	1	1	1.0	5	2	2.5
Pacoima Health Center												
White	8	1	8.0	0	0	1.0	1	0	2.0	--	--	--
African American	12	3	4.0	11	4	2.8	0	0	1.0	--	--	--
Hispanic	57	23	2.5	9	3	3.0	1	1	1.0	--	--	--
Asian	3	3	1.0	0	0	1.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	1	0	2.0	0	0	1.0	0	0	1.0	--	--	--
Unknown	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Total	81	30	2.7	20	7	2.9	2	1	2.0	3	0	6.0
Pomona Health Center												
White	2	5	0.4	2	2	1.0	0	0	1.0	--	--	--
African American	16	7	2.3	12	5	2.4	0	0	1.0	--	--	--
Hispanic	48	32	1.5	8	3	2.7	0	0	1.0	--	--	--
Asian	1	3	0.3	0	0	1.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	2	0	4.0	0	0	1.0	0	0	1.0	--	--	--
Unknown	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Total	69	47	1.5	22	10	2.2	0	0	1.0	5	0	10.0

[#]Not adjusted for the proportion of males and females tested

*Casewatch confirmed cases of early syphilis

[^]Continuity correction factor of 0.5 added for cases where denominator equals zero and numerator is non-zero

**HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 41. Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios[#]
Public Health Information System, by Health Center and Race/Ethnicity
January - December 2002

	Chlamydia, Gonorrhea, and Syphilis Testing									HIV Testing		
	<u>Chlamydia</u>			<u>Gonorrhea</u>			<u>Early Syphilis</u> *			<u>HIV**</u>		
	Male	Female	M:F [^]	Male	Female	M:F [^]	Male	Female	M:F [^]	Male	Female	M:F [^]
South Health Center												
White	1	3	0.3	1	1	1.0	0	0	1.0	--	--	--
African American	263	165	1.6	155	56	2.8	1	3	0.3	--	--	--
Hispanic	76	87	0.9	11	8	1.4	2	1	2.0	--	--	--
Asian	0	2	0.0	0	1	0.0	0	0	1.0	--	--	--
Native American	0	1	0.0	0	0	1.0	0	0	1.0	--	--	--
Other	2	0	4.0	1	0	2.0	0	0	1.0	--	--	--
Unknown	0	0	0.0	0	0	1.0	0	0	1.0	--	--	--
Total	342	258	1.3	168	66	2.5	3	4	0.8	5	1	5.0
Ruth Temple Health Center												
White	3	4	0.8	0	1	0.0	0	0	1.0	--	--	--
African American	218	139	1.6	113	46	2.5	1	2	0.5	--	--	--
Hispanic	49	31	1.6	6	5	1.2	0	0	1.0	--	--	--
Asian	6	3	2.0	0	2	0.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	2	1	2.0	1	1	1.0	0	0	1.0	--	--	--
Unknown	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Total	278	178	1.6	120	55	2.2	1	2	0.5	6	2	3.0
Torrance Health Center												
White	9	5	1.8	0	0	1.0	0	0	1.0	--	--	--
African American	37	8	4.6	14	4	3.5	0	0	1.0	--	--	--
Hispanic	16	9	1.8	4	0	8.0	2	0	4.0	--	--	--
Asian	7	5	1.4	1	0	2.0	0	0	1.0	--	--	--
Native American	0	0	1.0	0	0	1.0	0	0	1.0	--	--	--
Other	3	1	3.0	0	0	1.0	0	0	1.0	--	--	--
Unknown	1	0	2.0	0	0	1.0	0	0	1.0	--	--	--
Total	73	28	2.6	19	4	4.8	2	0	4.0	6	0	12.0

[#]Not adjusted for the proportion of males and females tested

*Casewatch confirmed cases of early syphilis

[^]Continuity correction factor of 0.5 added for cases where denominator equals zero and numerator is non-zero

**HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 41. Chlamydia, Gonorrhea, Syphilis, and HIV Gender Ratios[#]
Public Health Information System, by Health Center and Race/Ethnicity
January - December 2002

	Chlamydia, Gonorrhea, and Syphilis Testing									HIV Testing		
	<u>Chlamydia</u>			<u>Gonorrhea</u>			<u>Early Syphilis</u> *			<u>HIV**</u>		
	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^	Male	Female	M:F^
Whittier Health Center												
White	15	8	1.9	6	1	6.0	0	0	1.0	--	--	--
African American	16	2	8.0	6	0	12.0	0	0	1.0	--	--	--
Hispanic	97	57	1.7	15	10	1.5	0	0	1.0	--	--	--
Asian	4	3	1.3	0	0	1.0	0	0	1.0	--	--	--
Native American	0	0	1.0	1	0	2.0	0	0	1.0	--	--	--
Other	0	0	1.0	0	0	1.0	1	0	2.0	--	--	--
Unknown	1	0	2.0	0	0	1.0	0	0	1.0	--	--	--
Total	133	70	1.9	28	11	2.5	1	0	2.0	n/a	n/a	n/a

[#]Not adjusted for the proportion of males and females tested

*Casewatch confirmed cases of early syphilis

^Continuity correction factor of 0.5 added for cases where denominator equals zero and numerator is non-zero

**HIV testing not linked to chlamydia, gonorrhea, and syphilis testing

Table 42. Site of Chlamydia and Gonorrhea Infection
Public Health Information System (PHIS)
January - December 2002

	<u>Chlamydia</u>						<u>Gonorrhea</u>					
	Total n	%	Male n	%	Female n	%	Total n	%	Male n	%	Female n	%
All Centers												
Urogenital	2619	99.9	1,657	63.3	962	36.7	818	87.9	614	75.1	204	24.9
Rectal	0	0.0	0	0.0	0	0.0	23	2.5	22	95.7	1	4.3
Throat	0	0.0	0	0.0	0	0.0	63	6.8	48	76.2	15	23.8
Unknown	3	0.1	1	33.3	2	0.0	27	2.9	21	77.8	6	22.2
Total	2622	100.0	1,658	63.2	964	36.8	931	100.0	705	75.7	226	24.3
Y. Burke Health Center												
Urogenital	11	100.0	8	72.7	3	27.3	4	57.1	2	50.0	2	50.0
Rectal	0	0.0	0	0.0	0	0.0	1	14.3	1	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	2	28.6	2	100.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	11	100.0	8	72.7	3	27.3	7	100.0	5	71.4	2	28.6
Central Health Center												
Urogenital	246	100.0	153	62.2	93	37.8	58	78.4	50	86.2	8	13.8
Rectal	0	0.0	0	0.0	0	0.0	5	6.8	5	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	9	12.2	6	66.7	3	33.3
Unknown	0	0.0	0	0.0	0	0.0	2	2.7	2	100.0	0	0.0
Total	246	100.0	153	62.2	93	37.8	74	100.0	63	85.1	11	14.9
Glendale Health Center												
Urogenital	90	100.0	65	72.2	25	27.8	37	82.2	28	75.7	9	24.3
Rectal	0	0.0	0	0.0	0	0.0	3	6.7	3	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	5	11.1	5	100.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	90	100.0	65	72.2	25	27.8	45	100.0	36	80.0	9	20.0
Hollywood-Wilshire Health Center												
Urogenital	160	100.0	110	68.8	50	31.3	69	80.2	66	95.7	3	4.3
Rectal	0	0.0	0	0.0	0	0.0	7	8.1	6	85.7	1	14.3
Throat	0	0.0	0	0.0	0	0.0	8	9.3	8	100.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	2.3	2	100.0	0	0.0
Total	160	100.0	110	68.8	50	31.3	86	100.0	82	95.3	4	4.7

Table 42. Site of Chlamydia and Gonorrhea Infection
Public Health Information System (PHIS)
January - December 2002

	<u>Chlamydia</u>						<u>Gonorrhea</u>					
	Total n	%	Male n	%	Female n	%	Total n	%	Male n	%	Female n	%
Monrovia Health Center												
Urogenital	179	100.0	116	64.8	63	35.2	17	73.9	12	70.6	5	29.4
Rectal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	6	26.1	4	66.7	2	33.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	179	100.0	116	64.8	63	35.2	23	100.0	16	69.6	7	30.4
Pacoima Health Center												
Urogenital	111	100.0	81	73.0	30	27.0	24	88.9	17	70.8	7	29.2
Rectal	0	0.0	0	0.0	0	0.0	1	3.7	1	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	2	7.4	2	100.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	111	100.0	81	73.0	30	27.0	27	100.0	20	74.1	7	25.9
Pomona Health Center												
Urogenital	116	100.0	69	59.5	47	40.5	29	90.6	21	72.4	8	27.6
Rectal	0	0.0	0	0.0	0	0.0	1	3.1	1	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	2	6.3	0	0.0	2	100.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Total	116	100.0	69	59.5	47	40.5	32	100.0	22	68.8	10	31.3
South Health Center												
Urogenital	598	99.7	326	54.5	256	42.8	222	94.9	159	71.6	63	28.4
Rectal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	5	2.1	3	60.0	2	40.0
Unknown	2	0.3	0	0.0	2	100.0	7	3.0	6	85.7	1	14.3
Total	600	100.0	326	54.3	258	43.0	234	100.0	168	71.8	66	28.2
Ruth Temple Health Center												
Urogenital	456	100.0	278	61.0	178	39.0	161	92.0	112	69.6	49	30.4
Rectal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	12	6.9	7	58.3	5	41.7
Unknown	0	0.0	0	0.0	0	0.0	2	1.1	1	50.0	1	50.0
Total	456	100.0	278	61.0	178	39.0	175	100.0	120	68.6	55	31.4

Table 42. Site of Chlamydia and Gonorrhea Infection
Public Health Information System (PHIS)
January - December 2002

	<u>Chlamydia</u>						<u>Gonorrhea</u>					
	Total		Male		Female		Total		Male		Female	
	n	%	n	%	n	%	n	%	n	%	n	%
Torrance Health Center												
Urogenital	101	100.0	73	72.3	28	27.7	21	91.3	17	81.0	4	19.0
Rectal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	1	4.3	1	100.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	4.3	1	100.0	0	0.0
Total	101	100.0	73	72.3	28	27.7	23	100.0	19	82.6	4	17.4
Curtis Tucker Health Center												
Urogenital	347	99.7	229	66.0	118	34.0	148	89.7	112	75.7	36	24.3
Rectal	0	0.0	0	0.0	0	0.0	1	0.6	1	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	5	3.0	5	100.0	0	0.0
Unknown	1	0.3	1	100.0	0	0.0	11	6.7	7	63.6	4	36.4
Total	348	100.0	230	66.1	118	33.9	165	100.0	125	75.8	40	24.2
Whittier Health Center												
Urogenital	203	100.0	133	65.5	70	34.5	28	71.8	18	64.3	10	35.7
Rectal	0	0.0	0	0.0	0	0.0	4	10.3	4	100.0	0	0.0
Throat	0	0.0	0	0.0	0	0.0	6	15.4	5	83.3	1	16.7
Unknown	0	0.0	0	0.0	0	0.0	1	2.6	1	100.0	0	0.0
Total	203	100.0	133	65.5	70	34.5	39	100.0	28	71.8	11	28.2

APPENDIX A: CASE DEFINITIONS FOR REPORTABLE STDs

California State law (California Administrative Code, Title 17, Public Health, Section 2500, 1996) requires all health care providers to report selected communicable diseases to local health departments. Six of these diseases are reported directly to the County STD Program using the STD Confidential Morbidity Report (STD CMR, Rev. 11/03). These six include: chlamydia, gonorrhea, syphilis, non-gonococcal/non-chlamydial urethritis (NGU), non-gonococcal/non-chlamydial pelvic inflammatory disease, and chancroid. The following case definitions should assist physicians and other health care providers in the reporting process. The clinical description for each disease is brief; a more thorough discussion can be found in Sexually Transmitted Diseases (2nd Edition, 1990) by Holmes, et al. STD Program staff is available to answer any questions you may have concerning STD case definitions and STD reporting requirements. Three of the six most frequently reported STDs are diagnosed as follows:

CHLAMYDIAL INFECTION

1. Clinical description

Presence of mucopurulent cervical, urethral, or rectal discharge; epididymitis, salpingitis, or PID in adults; conjunctivitis or pneumonia in infants born to mothers with untreated infection. Asymptomatic infections are common.

2. Criteria for diagnosis

Laboratory identification of *Chlamydia trachomatis* infection by culture, antigen detection, or nucleic acid detection (amplified or non-amplified) methods.

GONORRHEA

1. Clinical description

Presence of purulent cervical, urethral, or rectal discharge; epididymitis, pharyngitis, salpingitis, or PID in adults; conjunctivitis in neonates born to mothers with untreated infection. Asymptomatic infections are common.

2. Criteria for diagnosis

Compatible clinical picture and sexual exposure to a person infected with *N. gonorrhoeae*, OR a, b, or c.

- a. Observation of Gram negative intracellular diplococci in urethral specimen from a male,
- b. Isolation of typical gram-negative, oxidase positive diplococci from a clinical specimen,
- c. Laboratory identification of *N. gonorrhoeae* infection by culture, antigen detection, or nucleic acid detection (amplified or non-amplified) methods.

EARLY SYPHILIS

Early syphilis includes primary, secondary, and early latent cases reported within less than one year from the date of infection.

PRIMARY SYPHILIS

1. Clinical description

One or more painless indurated ulcers at the site of exposure. Lymphadenopathy is common.

2. Criteria for diagnosis

Compatible clinical picture AND laboratory confirmation by either a or b:

- a. Demonstration of *T. pallidum* in clinical specimen by darkfield, fluorescent antibody or equivalent microscopic methods,
- b. Reactive serologic test for syphilis

Note: Nontreponemal tests often do not become reactive until 7-10 days following lesion onset.

SECONDARY SYPHILIS

1. Clinical description

Clinical manifestations are many, including localized or diffuse often bilateral mucocutaneous lesions and generalized lymphadenopathy. Flu-like symptoms are common.

2. Criteria for diagnosis

Identification of *T. pallidum* from a lesion compatible with secondary syphilis; OR compatible clinical picture with laboratory confirmation by either a or b:

- a. Reactive nontreponemal test ($>1:4$) with no prior diagnosis of syphilis,
- b. Four-fold or greater increase in nontreponemal test titer compared with most recent test for individuals with prior history of syphilis

Note: Treponemal test (FTA-ABS or MHA-TP) will be reactive.

EARLY LATENT SYPHILIS

1. Clinical description

No clinical signs or symptoms of syphilis.

2. Criteria for diagnosis

Reactive treponemal and nontreponemal test, AND initial infection that has occurred within previous 12 months as demonstrated by a, b, or c.

- a. Nonreactive or four-fold lower titer nontreponemal test within past 12 months,
- b. History consistent with untreated primary or secondary syphilis in the past 12 months,
- c. Sexual exposure to a partner with primary or secondary syphilis in the past 12 months, or probable early latent syphilis (documented independently as duration < 1 year) and no history of treatment for syphilis following the exposure.

APPENDIX B: LABORATORY DIAGNOSTIC TESTS USED FOR THE DIAGNOSIS OF SEXUALLY TRANSMITTED DISEASES

The Los Angeles County (DHS) Public Health Laboratory detects *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in urine using nucleic acid amplification tests (NAAT). Such tests can detect and exponentially amplify as few as one copy of DNA or RNA in a clinical specimen. The Public Health Laboratory used assays from two manufacturers during the reporting period, the LCx *Chlamydia trachomatis* Assay (Abbott Laboratories, Abbott Park, IL), the LCx *Neisseria gonorrhoeae* Assay (Abbott Laboratories, Abbott Park, IL) and the Aptima Combo 2 Assay (Gen-Probe, Inc., San Diego, CA). A brief explanation of each assay follows.

The LCx *Chlamydia trachomatis* Assay, LCx *Neisseria gonorrhoeae* Assay, and the Aptima Combo 2 Assay are approved for first-catch male and female urines, and endocervical and urethral swab specimens. Compared to culture, the nearest “Gold Standard”, the tests are more sensitive and comparatively specific.

The LCx *Chlamydia trachomatis* Assay is a qualitative test for plasmid DNA. The LCx *Neisseria gonorrhoeae* Assay qualitatively detects a target nucleic acid sequence in the Opa gene of the bacteria. The initial phase of the test amplifies the specified sequence using ligase chain reaction (LCR) technology. The amplified target is then detected using Microparticle Enzyme Immunoassay. Refrigerated urines must be tested within four days after collection. Frozen urines must be tested within 60 days of collection. The Public Health Laboratory discontinued LCx testing in October 2002. Nucleic acid amplification testing for Chlamydia is now performed using the Aptima Combo2 Assay.

The Aptima Combo 2 targets rRNA. This newer assay simultaneously tests for chlamydia and gonorrhea in the same specimen. It uses three technologies: target capture, transcription-mediated amplification (TMA), and dual kinetic assay (DKA). Target capture is used to separate the target sequence from other substances. Amplification is accomplished by TMA. Hybridization Protection Assay is used to label the amplified product with a molecule that emits a chemiluminescent signal. The light that is produced is detected using DKA. Signals for chlamydia and gonorrhea simultaneously detected. Urine specimens must be added to the Gen-Probe transport tube, which contains a preservative. Specimens may be held at room temperature up to 30 days before testing. Frozen specimens may be held up to 90 days after collection. The Public Health Laboratory processes specimens within three days after the specimen arrives in the laboratory.

Furthermore, the Los Angeles County (DHS) Public Health Laboratory uses the Rapid Plasma Reagin (RPR) test to screen blood for antibodies to *Treponema pallidum*, the causative agent of syphilis. Antibodies against *Treponema pallidum* become detectable one to four weeks after the formation of the chancre. The RPR is a nontreponemal test that detects IgM & IgG antibodies using cardiolipin-lecithin-cholesterol antigen. Quantitative RPR tests may be used to monitor treatment for syphilis; a four-fold change in titer is clinically meaningful. RPR testing is non-specific and may yield false positive results in chicken pox, drug use, hepatitis, immunizations, connective tissue/autoimmune diseases, aging, leprosy, malignancy, viral pneumonia, malaria, measles, pinta, yaws, and rarely in pregnancy.

All positive RPR tests are followed by a confirmatory, or treponemal, test that is specific for antibodies to *T. pallidum*. The confirmatory tests currently being used by the Public Health Laboratory includes the Fluorescent treponemal antibody absorption (FTA-ABS) test and the Treponema pallidum-particle agglutination (TP-PA) test. The FTA-ABS test is an indirect fluorescent antibody test. The TP-PA test is a gelatin particle agglutination assay. Tests that produce inconclusive or minimally reactive results should be redrawn and repeated within two weeks after

the first sample. Treponemal tests are not used to monitor treatment. The tests can result in false positives with age, autoimmune diseases, drug use, lyme disease, pinta, and yaws.

APPENDIX C: DATA MANAGEMENT

Data Management Methods

The Public Health Information System (PHIS) was used to examine all visits classified as “STD Clinical Visits.” The information collected from PHIS included demographic information such as gender, age, race/ethnicity, and marital status. In addition, PHIS information was used to determine the clinic visited as well as specific visit information such as the date of visit, tests conducted, and visit classification (i.e., “New” or “Return” visit). If a patient was not seen at a clinic within the past 30 days the visit was classified as a new visit, otherwise all visits within 30 days of a previous visit to the same clinic were classified as return visits.

SUNQUEST, the Public Health Laboratory database system was used to obtain laboratory results for chlamydia, gonorrhea, and syphilis. The laboratory results were merged with the PHIS data using the medical record number and the date of clinic visit/specimen collection. In addition, a definitive syphilis diagnosis for those with a positive confirmatory syphilis test was obtained using CASEWATCH. The final dataset contains one record for each patient, per visit to the STD clinic.

HIV data was also obtained using SUNQUEST. All HIV tests conducted at the public health clinics were included. However, given that almost all HIV tests were conducted anonymously, it was not possible to link the data with PHIS data. As such, HIV test results are presented as unlinked anonymous HIV tests.

Data Limitations

Possibility of multiple visits: If a patient sought care for the same event at multiple clinics, each visit was captured as a separate visit.

Definition of new visits: In order to account for multiple return visits for the same event, a separate analysis was conducted examining only visits classified as “New Visits.” The public health centers definition of “new visit” dictates that if a patient is not seen at a clinic within the past 30 days the visit be classified as a new visit. However this definition may not be uniformly applied at all public health centers.

Data for Antelope Valley was not included in this report as the Antelope Valley Health Center does not submit information into PHIS.



COUNTY OF LOS ANGELES
DEPARTMENT OF HEALTH SERVICES
Public Health

SEXUALLY TRANSMITTED DISEASE PROGRAM

2615 South Grand Avenue, Room 500
Los Angeles, CA 90007
TEL (213) 744-3070 • FAX (213) 749-9606

www.lapublichealth.org/std